Rittal - The System.

Faster – better – everywhere.

EMC Base Plates – TS 8800.660

Date: May 24, 2018



ENCLOSURES >> POWER DISTRIBUTION >> CLIMATE CONTROL >> IT INFRASTRUCTURE >> SOFTWARE & SERVICES>>

EMC Base Plates - TS 8800.660

created: 24.05.2018 build on www.rittal.com/us-en



Product description	
Description:	For shielded cables with max. 20 mm diameter. Combined EMC/IP seal provides for low-resistance contact between cable shield and base plate. For all 400, 500, 600 and 800 mm deep enclosures, in combination with standard base plates.
Material:	Carbon steel
Surface finish:	Zinc-plated
Supply includes:	Cable management rail with T-head punching 1 sliding base plate 2 IP/EMC gaskets
Product features	
Suitable for:	Width: 600 mm (24 ")
Packaging unit:	1 pc(s).
Weight/packaging unit:	1.8 kg (4 lb.)
EAN:	4028177214880
Customs tariff number:	94039010
ETIM 6.0:	EC002620
ETIM 5.0:	EC002620

© Rittal 2018

eCl@ss 8.0/8.1:	27189261
eCl@ss 7.0/7.1:	27189214
e Cl@ss 6.0/6.1:	27189214
eCl@ss 5.1/5.1.4:	27189214
Product description (long):	TS EMC gland plate, W: 600 mm
Approvals	
Certificates:	EAC

© Rittal 2018 2