

# Rittal – The System.

Faster – better – everywhere.

## Compact enclosures AE – AE 1213.500

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Compact enclosures AE – AE 1213.500

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Material:</b>	Housing: Carbon steel Door: Carbon steel, all-round foamed-in PU seal
<b>Surface finish:</b>	Housing and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
<b>Color:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 55
<b>Protection category NEMA:</b>	NEMA 12
<b>IK code:</b>	IK08
<b>Supply includes:</b>	Housing with hinged door(s), of all-round solid construction Flange (gland) plate(s) in enclosure base Mounting plate Lock: 3 mm double-bit 3-point locking system
<b>Base material:</b>	Carbon steel

## Product features

<b>Dimensions:</b>	Height: 1200 mm (47 ") Width: 1000 mm (39 ") Depth: 300 mm (12 ")
<b>Material thickness:</b>	Housing: 1.5 mm (0.06 ")

Door: 2 mm (0.08 ")  
Mounting plate: 3 mm (0.12 ")

<b>Mounting plate:</b>	Height: 1155 mm (45 ") Width: 940 mm (37 ")
<b>Number of doors:</b>	2
<b>Lock version:</b>	3-point locking system
<b>No. of locks:</b>	1
<b>Lock Insert:</b>	3 mm double-bit
<b>Flange plate, size:</b>	4
<b>Flange plate, qty:</b>	2
<b>Packaging unit:</b>	1 pc(s).
<b>Weight/packaging unit:</b>	85 kg
<b>EAN:</b>	4028177252431
<b>Customs tariff number:</b>	94032080
<b>ETIM 6.0:</b>	EC000261
<b>ETIM 5.0:</b>	EC000261
<b>eCl@ss 8.0/8.1:</b>	27180101
<b>eCl@ss 7.0/7.1:</b>	27180101
<b>eCl@ss 6.0/6.1:</b>	27180101
<b>eCl@ss 5.1/5.1.4:</b>	27180102
<b>Product description (long):</b>	AE Compact enclosure, WHD: 1000x1200x300mm, Sheet steel, with mounting plate, two-door, 3-point lock system

## Approvals

<b>Approvals:</b>	Bureau Veritas CSA DNV-GL Lloyds Register of Shipping RRR Russian Maritime Register of Shipping
-------------------	--

---

**Certificates:**

EAC  
IK-Code  
Protection category

---

**Declarations:**

Declaration of conformity

---