## Rittal - The System.

Faster – better – everywhere.

## Wallmounted enclosure – WM 8017.551

Date: May 24, 2018



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## Wallmounted enclosure - WM 8017.551 - WM302008NC

created: 24.05.2018 build on www.rittal.com/us-en



_			
Proc	iuct d	lescriptio	n
	14014	COULDING	

Material: Door: Carbon steel, all-round foamed-in PU seal

Housing: Carbon steel

**Surface finish:** Housing and door: Dipcoat primed, powder-coated on the outside, textured paint

Mounting plate: Zinc-plated

Color: RAL 7035

Protection category IP to IEC 60 529:

IP 66

**Protection category** 

NEMA:

NEMA 4

**Supply includes:** Housing with door(s)

Left hand hinge Mounting plate

Rear wall mounting holes

Quarter turn latch with slotted head insert

## **Product features**

**Dimensions:** Height: 760 mm (30 ")

Width: 500 mm (20 ") Depth: 210 mm (8.3 ")

Material thickness:: Housing: 1.5 mm (0.06 ")

Door: 2 mm (0.08 ")

Mounting plate: 2.5 mm (0.1 ")

Mounting plate: Height: 730 mm (29 ")

Width: 449 mm (18 ")

© Rittal 2018

Packaging unit:	1 pc(s).
Weight/packaging unit:	27 kg (59.5 lb.)
EAN:	83132
Approvals	
Approvals:	UL

© Rittal 2018 2