

# Rittal – The System.

Faster – better – everywhere.

## ► Base tray infill for RiLine busbar systems – SV 9342.140

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Base tray infill for RiLine busbar systems – SV 9342.140

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Description:** For rear contact hazard protection when connecting the busbars from enclosure to enclosure.

**Material:** Thermally modified hard PVC.  
Fire protection corresponding to UL 94-V0

**Color:** RAL 7035

**Supply includes:** Assembly components

## Product features

**Suitable for busbar system:** Maxi-PLS 1600

**Number of poles:** 3-pole

**Dimensions:** Length: 100 mm (3.9 ")

**Connection type:** Baying connection from enclosure to enclosure

**Packaging unit:** 2 pc(s).

**Weight/packaging unit:** 0.28 kg (0.6 lb.)

**EAN:** 4028177503564

<b>Customs tariff number:</b>	85472000
<b>ETIM 6.0:</b>	EC002498
<b>ETIM 5.0:</b>	EC002498
<b>eCl@ss 8.0/8.1:</b>	27379201
<b>eCl@ss 7.0/7.1:</b>	27142414
<b>eCl@ss 6.0/6.1:</b>	27142414
<b>eCl@ss 5.1/5.1.4:</b>	27370302
<b>Product description (long):</b>	SV Base tray infill, L: 100 mm (PLS 1600)
<b>Approvals</b>	
<b>Approvals:</b>	C-UL UL + C-UL