

Rittal – The System.

Faster – better – everywhere.

► Flat Copper Busbar Supports – SV 9340.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Flat Copper Busbar Supports – SV 9340.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material: Polyamide (PA 6.6)
Fire protection corresponding to UL 94-V0

Color: RAL 7035

Note: When using 12 x 5/10 mm busbars, spacer 9340.090 is also required

Product features

Suitable for busbars: With dimensions (mm): 12 x 5 - 30 x 10

Number of poles: 3-pole

Center-to-center spacing of busbars: 60 mm

Rated operating voltage: 1000 V, 3~

With internal attachment: yes

Packaging unit: 4 pc(s).

Weight/packaging unit: 0.69 kg (1.5 lb.)

EAN: 4028177502321

Customs tariff number: 85469010

ETIM 6.0:	EC001166
ETIM 5.0:	EC001166
eCl@ss 8.0/8.1:	27400607
eCl@ss 7.0/7.1:	27400607
eCl@ss 6.0/6.1:	27400607
eCl@ss 5.1/5.1.4:	27370302
Product description (long):	SV Busbar support, 3-pole, 60 mm bar centre distance, for busbar WH: 12x5-30x10 mm
Approvals	
Approvals:	ABS DNV-GL Lloyds Register of Shipping
Certificates:	EAC
Declarations:	Declaration of conformity