

Rittal – The System.

Faster – better – everywhere.

► **Wall mounting
bracket For KL, EB,
BT, AE, CM, wall-
mounted housing EL,
TP top pieces and
small fiber optic
distributors – SZ
2433.500**

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wall mounting bracket For KL, EB, BT, AE, CM, wall-mounted housing EL, TP top pieces and small fiber optic distributors – SZ 2433.500

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material:	Stainless steel 1.4404 (AISI 316L)
Protection category NEMA:	NEMA 4
Supply includes:	Assembly components for mounting on the enclosure.

Product features

Wall distance:	10 mm (0.39 ")
Packaging unit:	4 pc(s).
Weight/packaging unit:	0.3 kg (0.7 lb.)
EAN:	4028177498938
Customs tariff number:	83024900
ETIM 6.0:	EC002625
ETIM 5.0:	EC002625
eCl@ss 8.0/8.1:	27189234

eCl@ss 7.0/7.1:	27182405
eCl@ss 6.0/6.1:	27182405
eCl@ss 5.1/5.1.4:	27189234
Product description (long):	SZ Wall mounting bracket, stainless steel, 1.4404, Wall distance 10 mm
Approvals	
Certificates:	EAC