

# Rittal – The System.

Faster – better – everywhere.

## Outlet Filters Standard – SK 3238.200

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Outlet Filters Standard – SK 3238.200

created: 29.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Description:</b>	For ventilation by convection, an outlet filter can be installed in the upper and lower sections of the enclosure.
<b>Material:</b>	ABS Material resistance to UL 94-5VA
<b>Color:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 54 including filter mat
<b>Protection category NEMA:</b>	NEMA 12
<b>Supply includes:</b>	Outlet Filters Filter mat

## Product features

<b>Dimensions:</b>	Height: 148.5 mm (5.8 ") Width: 148.5 mm (5.8 ") Depth: 24 mm (0.94 ")
<b>Required mounting cut-out:</b>	Height: 124 mm Width: 124 mm
<b>Packaging unit:</b>	1 pc(s).
<b>Weight/packaging unit:</b>	0.18 kg (0.4 lb.)

EAN: 4028177651739

Customs tariff number: 39269097

ETIM 6.0: EC002513

ETIM 5.0: EC002513

eCl@ss 8.0/8.1: 27180706

eCl@ss 7.0/7.1: 27180706

eCl@ss 6.0/6.1: 27180706

eCl@ss 5.1/5.1.4: 27180706

Product description (long): SK outlet filter, Standard, WHD: 148.5 x 148.5 x 24 mm

## Approvals

Approvals: CSA  
UL + C-UL - FTTA  
UR + C-UR