

Rittal – The System.

Faster – better – everywhere.

Outlet Filters EMC – SK 3243.060

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Outlet Filters EMC – SK 3243.060

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	For ventilation by convection, an outlet filter can be installed in the upper and lower sections of the enclosure.
Material:	ABS Material resistance to UL 94-5VA
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 54 including filter mat
Supply includes:	Outlet Filters Filter mat

Product features

Dimensions:	Height: 323 mm (13 ") Width: 323 mm (13 ") Depth: 25 mm (0.98 ")
Required mounting cut-out:	Height: 292 mm Width: 292 mm
Packaging unit:	1 pc(s).
Weight/packaging unit:	0.9 kg (2 lb.)
EAN:	4028177652071

Customs tariff number:	39269097
ETIM 6.0:	EC002513
ETIM 5.0:	EC002513
eCl@ss 8.0/8.1:	27180706
eCl@ss 7.0/7.1:	27180706
eCl@ss 6.0/6.1:	27180706
eCl@ss 5.1/5.1.4:	27180706
Product description (long):	SK outlet filter, EMC, WHD: 323 x 323 x 25 mm
Approvals	
Approvals:	CSA UL + C-UL - FTTA UR + C-UR