## Rittal - The System.

Faster - better - everywhere.

► Angle coupling 90° CP 60 for support arm connection Ø 130 mm
− CP 6206.380

Date: May 24, 2018



## Angle coupling 90° CP 60 for support arm connection Ø 130 mm – CP 6206.380

created: 24.05.2018 build on www.rittal.com/us-en



_		_	
D == al.	4 -		ription
Proni	HCT C	IPSCI	minn

**Description:** For swivel mounting of the housing on the horizontal part of the support arm system. Housing

may be suspended or top-mounted. Removable cover for easy cable routing.

Material: Angle coupling: Cast aluminum/die-cast zinc

Cover: Plastic

Color: Angle coupling: RAL 7035

Cover: RAL 7024

Supply includes: Seals

Grub (set) screws Adjusting screws

Self-tapping screws for support section attachment

## **Product features**

Rotating/tilting: yes

Rotation/swivel Approximately 310°, lockable via clamping levers

range: The range of rotation can be limited by inserting the grub (set) screws provided

Packaging unit: 1 pc(s).

Weight/packaging 1.8 kg (4 lb.) unit:

**EAN**: 4028177684393

© Rittal 2018

Customs tariff number:	76169990
ETIM 6.0:	EC000882
ETIM 5.0:	EC002620
e CI@ss 8.0/8.1:	27400556
e CI@ss 7.0/7.1:	27189261
e CI@ss 6.0/6.1:	27189261
e CI@ss 5.1/5.1.4:	27189247
Product description (long):	CP Angle coupling 90°, CP 60, for support arm connection Ø 130 mm
Approvals	
Declarations:	Manufacturer's declaration

© Rittal 2018