Rittal - The System.

Faster – better – everywhere.

■ Top-mounted joint CP 60 Horizontal outlet – CP 6206.700

Date: May 24, 2018



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Top-mounted joint CP 60 Horizontal outlet – CP 6206.700

created: 24.05.2018 build on www.rittal.com/us-en



Dwa	4	4		:
Proc	JUGL	uest	HUL	.1011

Description: For swivel mounting of the support arm system on a horizontal surface - also suitable for

ceiling mounting. Removable cover for easy cable routing.

Cover: Plastic Material:

Top-mounted joint: Cast aluminum

Color: Cover: RAL 7024

Top-mounted joint: RAL 7035

Supply includes: Seals

Screws for restricting rotation range

Adjusting screws

Self-tapping screws for support section attachment

Product features

Dimensions: Height: 158 mm (6.2 ")

Width: 146 mm (5.7 ")

Rotating/tilting: yes

Rotation/swivel Approximately 330°

The range of rotation can be limited by inserting the screws/limit plate provided. range:

Packaging unit: 1 pc(s).

2.2 kg (4.9 lb.)

Weight/packaging unit:

© Rittal 2018 1

EAN:	4028177684294
Customs tariff number:	76169990
ETIM 6.0:	EC000882
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27400556
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189247
Product description (long):	CP Top-mounted joint CP 60, outlet horizontal
Approvals	
Declarations:	Manufacturer's declaration

© Rittal 2018