

Rittal – The System.

Faster – better – everywhere.

Partial Doors for TS – SV 9672.187

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Partial Doors for TS – SV 9672.187

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description: Suitable for TS enclosures instead of a door or rear panel. The partial doors can be combined as required. A front trim panel is required at the top and bottom. Door may be optionally hinged on the right or left. In doors without a viewing window (height 600 – 1000 mm), installation of the monitor frame SZ 2305.000 is possible. Standard double-bit lock insert may be exchanged for lock inserts, type F, and for comfort handle in systems 600 mm or more high.

Material: Carbon steel, 2 mm
Viewing window: Single-pane safety glass, 3 mm

Surface finish: Textured paint

Color: RAL 7035

**Protection category
IP to IEC 60 529:** IP 54 for a completed enclosure

Supply includes: Cross member
Hinges
Lock components
Assembly components

Product features

Suitable for: Width: 800 mm (31 ")

Dimensions: Height: 600 mm (24 ")
Width: 800 mm (31 ")

Packaging unit: 1 pc(s).

Weight/packaging unit:	9 kg (19.8 lb.)
EAN:	4028177697904
Customs tariff number:	94039010
ETIM 6.0:	EC000747
ETIM 5.0:	EC000747
eCl@ss 8.0/8.1:	27182204
eCl@ss 7.0/7.1:	27182290
eCl@ss 6.0/6.1:	27182290
eCl@ss 5.1/5.1.4:	27189217
Product description (long):	SV Partial door, WH: 800x600 mm, for TS, with viewing window