

Eaton CE15DNS3AB

Catalog number: CE15DNS3AB

Eaton XT IEC contactor, 18A, 110-120 Vac, 50-60 Hz, 1NO, 18A, Frame D, 55 mm, 50-60 Hz, 1 hp, Side, Three-pole, Non-reversing, No overload relay, Freedom, Contactor



General specifications

Product Name

Eaton XT IEC contactor

Catalog Number

CE15DNS3AB

UPC

782113778785

Product Length/Depth

3.25 in

Product Height

2.96 in

Product Width

1.8 in

Product Weight

1.01 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

ISO 9000 DIN VDE 0600

Certifications

IEC Rated CSA Certified UL Listed

Catalog Notes

No enclosure

defaultTaxonomyAttributeLabel

Contact configuration

1 NO

Relay

No overload relay

HP rating - max

1 hp

Operation

Non-reversing

Mounting method

Side

Amperage Rating

18A

Number Of Poles

Three-pole

Frame size

55 mm

Coil voltage

110-120 Vac, 50-60 Hz

Series

Freedom

Type

Contactors

Continuous ampere rating

18 A

Frequency rating

50-60 Hz

Resources

Catalogs

Eaton's Volume 5—Motor Control and Protection

Motor Starters and Contactors — Low Voltage Catalog

Specifications and datasheets

Eaton Specification Sheet - CE15DNS3AB



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)