

# Eaton DS361FX

Catalog number: DS361FX

Eaton Heavy duty single-throw fused surge-protection safety switch , 30 A, NEMA 7/9, Cast aluminum, Class J, Three-pole, Three-wire, 600 Vac, 125/250 Vdc, Complete, Max Hp: 15, 20/ 5 hp (3PH @480,600 V/250 Vdc), #10-8 AWG Cu



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton custom single-throw fused safety switch	DS361FX
	<b>UPC</b>
	782114858646
<b>Product Length/Depth</b>	<b>Product Height</b>
18.5 in	14 in
<b>Product Width</b>	<b>Product Weight</b>
14 in	53.65 lb
<b>Warranty</b>	<b>Certifications</b>
Eaton Selling Policy 25-000, one (1) year UL Listed from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	

## defaultTaxonomyAttributeLabel

### Product Category

Heavy Duty, Fusible

### Fuse class provision

Class J

### HP rating - max

15, 20/ 5 hp (3PH @480,600 V/250 Vdc)

### Wire size

#10-8 AWG Cu

### Fuse configuration

Fusible without neutral

### Enclosure

NEMA 7, NEMA 9

### Amperage Rating

30A

### Voltage - max

600 V

### Number Of Poles

Three-pole

### Enclosure material

Cast aluminum

### Design

Complete unit

### Type

Heavy duty hazardous location disconnect switch

### NEMA rating

NEMA 7, NEMA 9

### Number of wires

3

### Voltage rating

600 Vac, 480 Vac, 250 Vdc

## Resources

### Catalogs

[Eaton's Volume 2—Commercial Distribution](#)

[Switching Devices Catalogue](#)

### Specifications and datasheets

[Eaton Specification Sheet - DS361FX](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2022 Eaton  
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)