

Eaton XTCE018C10AD

Catalog number: XTCE018C10AD

Eaton XT IEC contactor, 18A, 120 Vdc, 1NO, 18A, Frame C, 45 mm, 2, 2, 3/ 5, 5, 10, 15 hp (1/3PH @115, 200, 230/200, 230, 460, 575 V), Three-pole, Non-reversing, XT IEC series, Screw terminals, Full voltage non-reversing contactor



General specifications

Product Name	Catalog Number
Eaton XT IEC contactor	XTCE018C10AD
UPC	Product Length/Depth
782116485383	3.425 in
Product Height	Product Width
3.898 in	1.85 in
Product Weight	Warranty
1.2 lb	1 year
Compliances	Certifications
RoHS Compliant CE Marked	UL Listed IEC 60947 CSA Certified EN 60947
Catalog Notes	
Screw terminals (6-65A); 5 mm (80-150A); no lugs (185-2000A)	

defaultTaxonomyAttributeLabel

Frame size

45 mm

Contact configuration

1 NO

Coil voltage

120 Vdc

Series

XT IEC

Type

Full voltage non-reversing contactor

HP rating - max

2, 2, 3/ 5, 5, 10, 15 hp (1/3PH @115,200,230/200,230,460,575 V)

Continuous ampere rating

18 A

Terminals

Screw terminals

Operation

Non-reversing

Amperage Rating

18A

Number Of Poles

Three-pole

Coil

120 Vdc

Resources

Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

Drawings

[XTCE_C 3D Model Xchange](#)

[XTCE_C 2D Drawing Xchange](#)

[XTCE_C AutoCAD 2D Footprint](#)

[XTCE_C 2D PDF](#)

Specifications and datasheets

[Eaton Specification Sheet - XTCE018C10AD](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)