

Eaton XTCE007B01A

Catalog number: XTCE007B01A

Eaton XT IEC contactor, 7A, 110 Vac 50 Hz, 120 Vac 60 Hz, 1NC, 7A, Frame B, 45 mm, 50-60 Hz, 0.25, 0.75, 1/ 1.5, 2, 3, 5 hp (1/3PH @115, 200, 230/200, 230, 460, 575 V), Three-pole, Screw terminals, Full voltage non-reversing contactor

General specifications



Product Name
Eaton XT IEC contactor

Catalog Number
XTCE007B01A

EAN
4015082765828

Product Length/Depth
3 in

Product Height
2 in

Product Width
3 in

Product Weight
.5 lb

Compliances
RoHS Compliant CE Marked

Certifications
UL Listed CSA Certified IEC 60947 EN 60947

Catalog Notes
Screw terminals (6-65A); 5 mm (80-150A); no lugs (185-2000A)

defaultTaxonomyAttributeLabel

Frame size

45 mm

Contact configuration

1 NC

Coil voltage

110-120 Vac, 50/60 Hz

Series

XT IEC

Type

Full voltage non-reversing contactor

HP rating - max

0.25, 0.75, 1/ 1.5, 2, 3, 5 hp (1/3PH
@115,200,230/200,230,460,575 V)

Continuous ampere rating

7 A

Frequency rating

50-60 Hz

Terminals

Screw terminals

Operation

Non-reversing

Amperage Rating

7A

Number Of Poles

Three-pole

Resources

Catalogs

Eaton's Volume 5—Motor Control and Protection

Drawings

XTCE_B 3D Inventor

XTCE_B 2D Drawing Xchange

XTCE_B 3D Model Xchange

XTCE_B 2D PDF

XTCE_B AutoCAD 2D Footprint

Specifications and datasheets

Global Data Sheet - XTCE007B01A

Eaton Specification Sheet - XTCE007B01A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)