


# Eaton XTOB100GC1

Catalog number: XTOB100GC1

Eaton XT IEC bimetallic overload relay, 70-100A overload range, 90 mm Frame size, 1NO-1NC contact configuration, Direct to contactor mounting, used with 80-170A contactor, 10A trip type



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton XT IEC bimetallic overload relay	XTOB100GC1
<b>EAN</b>	<b>Product Length/Depth</b>
4015082784645	5.28 in
<b>Product Height</b>	<b>Product Width</b>
5.43 in	4.65 in
<b>Product Weight</b>	<b>Compliances</b>
3.1 lb	CE Marked ATEX Compliant RoHS Compliant

## Certifications

UL Listed CSA Certified IEC 60947 EN 60947

defaultTaxonomyAttributeLabel

## Resources

### Frame size

90 mm

### Mounting

Direct

### Overload range

70-100 A

### Brochures

C440 Electronic Overload Relay

### Catalogs

Eaton's Volume 5—Motor Control and Protection

### Drawings

XTOB\_GC1 3D Inventor

XTOB\_GC1 AutoCAD 2D Footprint (mm)

XTOB\_GC1 AutoCAD 2D Footprint

XTOB\_GC1 3D Model Xchange

XTOB\_GC1 2D PDF

XTOB\_GC1 2D Drawing Xchange

### Multimedia

Overcurrent Protective Device Games - Fuses, Breakers and Contactors Explained

### Specifications and datasheets

Eaton Specification Sheet - XTOB100GC1

Global Data Sheet - XTOB100GC1



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2022 Eaton  
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



Eaton.com/socialmedia