

Eaton XTSE018C23A

Catalog number: XTSE018C23A

Eaton XT IEC contactor, 18A, 110 Vac 50 Hz, 120 Vac 60 Hz, 2NO–3NC, 18A, Frame C, 45 mm, 50-60 Hz, 3, 3, 10, 10 hp (3PH @200/208, 230/240, 460/480, 575/600 V), Three-pole, 200-600V, Full voltage non-reversing safety contactor



General specifications

Product Name	Catalog Number
Eaton XT IEC contactor	XTSE018C23A
UPC	Product Length/Depth
786689043001	6.1 in
Product Height	Product Width
1.9 in	3.59 in
Product Weight	Warranty
1.1 lb	1 year
Certifications	
CSA Certified UL Listed	

defaultTaxonomyAttributeLabel

Contact configuration

2 NO, 3 NC

Frame

FVNR

HP rating - max

3, 3, 10, 10 hp (3PH @200/208,230/240,460/480,575/600 V)

Auxiliary contacts

2 NO, 3 NC

Operation

Non-reversing

Amperage Rating

18A

Number Of Poles

Three-pole

Frame size

45 mm

Coil voltage

110-120 Vac, 50/60 Hz

Series

XT IEC

Type

Full voltage non-reversing safety contactor

Continuous ampere rating

18 A

Frequency rating

50-60 Hz

Rated operational current

200-600 V

Resources

Specifications and datasheets

[Eaton Specification Sheet - XTSE018C23A](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)