

SIZINPRU			
Project:		Type:	
Drawn by:	Catalogue #:	Date:	
Individual Spec Sheet			
12 V DC LED D	IRIVER		

# HARDWIRE DIMMABLE

Class 2

### **ORDERING INFORMATION**

Order code:

Model number: LED/DRIVER/50W/12V/HW/D/STD

UPC: 069549657403

Case quantity:

## **PHYSICAL DATA**

**Dimensions:** 13 25/32" x 2 15/16" x 1 1/2" (350 mm x 75 mm x 37.5mm)

Type: Hardwire Driver - Dimmable

Color: White

#### PERFORMANCE DATA

Output Power (W): Input Voltage (V AC): 100-130 Output Voltage (V DC): 12 Input Current (mA): 410 **Output Current (mA):** 2 083 Frequency (Hz): 50/60 **Power Factor:** ≥0.95 **Environment:** 

**Operating Temperature:** -10°C to 40°C (14°F to 104°F)

13 25/32" (350 mm)


**Dimmer Type:** Forward and reverse

#### COMPATIBLE DIMMERS<sup>1</sup>

Brand	Model number
COOPER	DAL06P, AAL06, SLC03P
LEVITON	IPL06, 6674, DSL06-1LZ, DSM10-1LZ
LUTRON	PD-6WCL, DVCL-153P, CTCL-153P, DVCL-253P, AYCL-253P, MACL-153P
LEGRAND	HCL453P

<sup>&</sup>lt;sup>1</sup> This table shows dimmers that have been tested and have demonstrated proper operation under normal conditions. Each installation being unique, various factors such as load, common neutrals or other electrical products on the circuit can, in certain instances, cause variance in system performance. Read and comply to the dimmer installation instructions. Consult dimming system manufacturer for additional support in operation. Some dimmers may require more than one product for stable operation. Stanpro recommends to use dimmers designed to work with LED products. Older dimmers designed for incandescent products may cause erratic operation.

#### **DIMENSIONS**

















Qty	Description	Price		
I accept the specifications of the luminaire configuration mentioned above.				
Name:				
Company:				

Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions. All products are subject to change or may be discontinued any time without notice.



Signature:

Date: