

Project: _____ Type: _____

Drawn by: _____ Catalogue #: _____ Date: _____

Individual Spec Sheet

LED TAPE

LOW VOLTAGE TAPE

24 V

ORDERING INFORMATION

Order code: 65882
Description: TAPE/16.4'/1.5W/40K/24V/IP22/60/8MM/STD
UPC: 069549658820
Case quantity: 25

PHYSICAL DATA

Reel Total Length: 16.4 ft. (5 m)
Jacketed or Unjacketed: Unjacketed
Wire gauge: 22 AWG
Number of LEDs: 60 LEDs per meter
18 LEDs per foot
Cutable length: 3 ¹⁵/₁₆ in. (100 mm) or every 6 LED chips
Maximum run length: 61 ft. (19 m)
Operating Temperature: -25°C / -13°F to 40°C / 104°F

PERFORMANCE DATA

Volts (V): 24
Color temperature (K): 4 000 (Cool white)
Watts per length: 24 W per reel
4.8 W per meter
0.12 W per inch
Light output per length: 1 780 lm per reel
356 lm per meter
9 lm per inch
Efficacy (lm/W): 74
CRI: 90+
Life (hrs): 50 000
Beam angle (°): 120

¹ Typical Color temperature range: +/- 5 %

² Lumen values are derived from photometric testing. Initial lumens range: +/- 5 %

³ Life hours are derived from IESNA LM80-08 testing report and projected per IESNA TM-21-11 extrapolations

Extrusions, drivers and accessories are available (sold seperatly).
Custom lenghts available upon request. Ask your sales representative for more information.
This LED Tape is also available in 2.9 W and 4.4 W and in 12 V.



3_{yrs}
warranty




dimmable



dry
location



DIMENSIONS



| Qty | Description | Price |
|-----|-------------|-------|
| | | |

I accept the specifications of the luminaire configuration mentioned above.

Name: _____

Company: _____

Signature: _____

Date: _____

Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions.
 All products are subject to change or may be discontinued any time without notice.