

Project: _____ Type: _____

Drawn by: _____ Catalogue #: _____ Date: _____

Individual Spec Sheet

LED TAPE

LOW VOLTAGE TAPE

24 V

ORDERING INFORMATION

Order code: 65889
Description: TAPE/16.4'4.4W/30K/24V/IP22/180/8MM/STD
UPC: 069549658899
Case quantity: 25

PHYSICAL DATA

Reel Total Length: 16.4 ft. (5 m)
Jacketed or Unjacketed: Unjacketed
Wire gauge: 22 AWG
Number of LEDs: 180 LEDs per meter
55 LEDs per foot
Cutable length: 1 ⁵/₁₆ in (33.3 mm) or every 6 LED chips
Maximum run length: 23 ft. (7 m)
Operating Temperature: -25°C / -13°F to 40°C / 104°F

PERFORMANCE DATA

Volts (V): 24
Color temperature (K): 3 000 (Neutral white)
Watts per length: 73 W per reel
14.5 W per meter
0.37 W per inch
Light output per length: 4 920 lm per reel
984 lm per meter
25 lm per inch
Efficacy (lm/W): 68
CRI: 90+
Life (hrs): 50 000
Beam angle (°): 120

¹ Typical Color temperature range: +/- 5 %

² Lumen values are derived from photometric testing. Initial lumens range: +/- 5 %

³ Life hours are derived from IESNA LM80-08 testing report and projected per IESNA TM-21-11 extrapolations

Extrusions, drivers and accessories are available (sold seperatly).
Custom lenghts available upon request. Ask your sales representative for more information.
This LED Tape is also available in 1.5 W and 2.9 W.



3_{yrs}
warranty





dimmable



dry
location



DIMENSIONS



Qty	Description	Price

I accept the specifications of the luminaire configuration mentioned above.

Name: _____

Company: _____

Signature: _____

Date: _____

Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions. All products are subject to change or may be discontinued any time without notice.