Compatibility List

Choice LED Linears Ballast



LED T8 GEN2

 Order code
 Description

 67972
 T8/S2/10.5W/835/48/CHOICE/STD

 67973
 T8/S2/10.5W/840/48/CHOICE/STD

 67977
 T8/S2/10.5W/850/48/CHOICE/STD

120-277 V (1/3)

	Ballast Description			1 La	amp	2 La	mps	3 Lamps		4 Lamps		Ballast
		Number	Starting				Input V	oltage/				version
Brand	Order code	of lamps		120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	VEISIOII
ESPEN	VE232MVHIPE	2	IS									/
LOFEIN	VE232MVHIPLE	2	IS									/
FULHAM	WHSG3-UNV-T8-IS	3	IS									/
FULITAIVI	WHSG4-UNV-T8-IS	4	IS									/
	GE-232-MV-N-DIY	2	IS									/
	GE-432-MV-N-DIY	4	IS									/
	GE132MAX-N/ULTRA	1	IS									/
	GE232MAX-N/ULTRA	2	IS									/
	GE332MAX-N/ULTRA	3	IS									/
	GE432MAX-N/ULTRA	4	IS									/
	GE132MAX-L/ULTRA	1	IS									/
	GE232MAX-L/ULTRA	2	IS									/
	GE132MAX-H/ULTRA	1	IS									/
05	GE232MAX-H/ULTRA	2	IS									/
GE	GE132MAXP-N/ULTRA	1	IS									/
	GE232MAXP-N/ULTRA	2	IS									/
	GE332MAXP-N/ULTRA	3	IS									/
	GE432MAXP-N/ULTRA	4	IS									/
	GE132MAXP-L/ULTRA	1	IS									/
	GE232MAXP-L/ULTRA	2	IS									/
	GE332MAXP-L/ULTRA	3	IS									/
	GE432MAXP-L/ULTRA	4	IS									/
	GE332MAXP-H/ULTRA	3	IS									/
	GE432MAXP-H/ULTRA	4	IS									/
	EP232IS/L/MV/HE	2	IS									/
	EP332IS/L/MV/HE	3	IS									/
Halco Lighting	EP232IS/H/MV/HE	2	IS									/
	EP332IS/MV/HE	3	IS									/
	EP432IS/MV/HE	4	IS									/
	EPL2/32IS/MV/MC/HE	2	IS									/
	EPL3/32IS/MV/SC/HE	3	IS									/
	EPL4/32IS/MV/MC/HE	4	IS									/
	EPH2/32IS/MV/MC/HE	2	IS									/
HOWARD INDUSTRIES	EPH3/32IS/MV/MC/HE	3	IS									/
	EPH4/32IS/MV/SC/HE	4	IS									/
	EP3/32IS/MV/MC/HE	3	IS									/
	EP4/32IS/MV/MC/HE	4	IS									/
	KTEB-232-UV-IS-H-P	2	IS									/
	KTEB-332-UV-IS-H-P	3	IS									/
KEYSTONE	KTEB-232-UV-IS-N-P	2	IS									/
	KTEB-332-UV-IS-N-P	3	IS									/
	KTEB-432-UV-IS-L-P	4	IS									,
H	NILD-432-UV-13-L-7	4	Ю									/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



120-277 V (2/3)

			1 La	amp	2 La	ımps	3 Lamps		4 Lamps		Ballast	
		Number	Starting				Input \	/oltage				version
Brand	Order code	of lamps		120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	VELSION
MAXLITE	SKEU324HE/SC	4	IS									/
IVIAALITE	MLEU324HE/SC	4	IS									/
	ICN-1P32-N	1	IS									/
	ICN-2P32-N	2	IS									/
	ICN-3P32-N	3	IS									/
	ICN-4P32-N	4	IS									/
	IOPA-1P32-N	1	IS									/
	IOPA-2P32-N	2	IS									/
	IOPA-3P32-N	3	IS									/
	IOPA-4P32-N	4	IS									/
	IOPA-1P32-LW-N	1	IS									/
	IOPA-2P32-LW-N	2	IS									/
	IOPA-3P32-LW-N	3	IS									/
	IOPA-4P32-LW-N	4	IS									/
	IOPA-1P32-HL-N	1	IS									/
	IOPA-2P32-HL-N	2	IS									/
	IOPA-4P32-HL-SC	4	IS									/
Philips ADVANCE	IOP-2P32-N	2	IS									/
	IOP-4P32-N	4	IS									/
	IOP-2P32-LW-N	2	IS									/
	IOP-2P32-HL-N	2	IS									/
	IOP-4P32-HL-SC	4	IS									/
	GOPA-2P32-SC	2	IS									/
	GOPA-4P32-SC	4	IS									/
	GOPA-4P32-LW-SC	4	IS									/
	REB-2P32-SC	2	IS									/
	REB-4P32-SC	4	IS									/
	ICN2P16TLEDN	2	IS									/
	ICN3P16TLEDN	3	IS									/
	ICN4P16TLEDN	4	IS									/
	ICN2P16HLTLEDSC	2	IS									/
	ICN4P16HLTLEDSC	4	IS									/
	IZT-2P16-TLED-SC	2	IS									/
	IZT-4P16-TLED-SC	4	IS									/
	61126 - E232T8IS120/L/AS/BULK	-	IS									
	61123 - E232T8IS120/L/AS	2	IS									/
	61113 - E232T8IS120/N/AS	2	IS									/
	61124 - E232T8IS120/WAS/BULK	-	IS									
	61114 - E432T8IS120/N/AS	4	IS									/
Standard	61125 - E432T8IS120/WAS/BULK	4	IS									/
	61120 - E432T8IS120/L/AS	4	IS									/
	61127 - E432T8IS120/L/AS/BULK	4	IS									/
	61121 - E296T8IS120/N/AS	2	IS									/
	31036 - E432T8IS347/L	-	IS									
	16358 - E296T8IS347/N	-	IS									

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/



120-277 V (3/3)

	Ballast Description			1 La	amp	2 La	ımps	3 La	ımps	4 La	ımps	Ballast
Brand	Order code	Number	-	120 V	277 V	120 V		/oltage 120 V	277 V	120 V	277 V	version
	0.70 4.700.70 4.8.8.7.10.1.00	of lamps		120 V	211 V	120 V	277 V	120 V	211 V	120 V	211 V	,
	QTP 1X32T8/UNV ISN-SC	1	IS									/
	QTP 2X32T8/UNV ISN-SC	2	IS									/
	QTP 3X32T8/UNV ISN-SC	3	IS									/
	QTP 4X32T8/UNV ISN-SC	4	IS									/
	QHE 1x32T8/UNV ISN-SC	1	IS									/
	QHE 2X32T8/UNV ISN-SC	2	IS									/
	QHE 3×32T8/UNV ISN-SC	3	IS									/
	QHE 4X32T8/UNV ISN-SC	4	IS									/
	QHE 1x32T8/UNV ISL-SC	1	IS									/
	QHE 2×32T8/UNV ISL-SC	2	IS									/
SYLVANIA Osram	QHE 3×32T8/UNV ISL-SC	3	IS									/
	QHE 4×32T8/UNV ISL-SC	4	IS									/
	QHE 1×32T8/UNV ISH-SC	1	IS									/
	QHE 2×32T8/UNV ISH-SC	2	IS									/
	QHE 4x32T8/UNV ISH	4	IS									/
	QHE 1X32T8/UNV ISH HT SC	1	IS									/
	QHE 2X32T8/UNV ISH HT SC	2	IS									/
	QHE 3x32T8/UNV ISN-SC-1	3	IS									/
	QHE 4x32T8/UNV ISN-SC-1	4	IS									/
	QHE 3x32T8/UNV ISL-SC-1	3	IS									/
	QHE 4x32T8/UNV ISL-SC-1	4	IS									/
	UT232347	2	IS									/
Ultra Save	UT432347	4	IS									/
	B132IUNVHP-N	1	IS									/
	B232IUNVHP-N	2	IS									/
	B332IUNVHP-A	3	IS									/
	B432IUNVHP-A	4	IS									/
	B132IUNVHE-A	1	IS									/
	B232IUNVHE-A	2	IS									/
Universal/TRIAD	B332IUNVHE-A	3	IS									/
	B432IUNVHE-A	4	IS									/
	B232IUNVEL-A	2	IS									/
	B332IUNVEL-A	3	IS									/
	B432IUNVEL-A	4	IS									/
	B232IUNVHEH-A	2	IS									/

120 V

	Ballast Description		1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast						
Brand		Number	Starting	Input Voltage									
	Order code	of lamps	Method	120 V	120 V	120 V	120 V	version					
GE	GE232-120RES-DIY	2	IS					/					
Philips ADVANCE	REB-2P32-N	2	IS					/					

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



347 V

	Ballast Description			1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast					
		Number	Starting	Input Voltage									
Brand	Order code	of lamps		347 V	347 V	347 V	347 V	version					
GE	GE432MAX347-N	4	IS					/					
	66150 - E232T8IS/MIC/347/N/AS	2	IS					/					
	66151 - E232T8IS/MIC/347/N/AS/BULK	2	IS					/					
	10294 - E432T8IS347/N	4	IS					/					
Observational	31552 - E432T8IS347/N/BULK	4	IS					/					
Standard	66152 - E232T8IS/MIC/347/L/AS/BULK	2	IS					/					
	56603 - E432T8IS347/L/BULK	4	IS					/					
	31036 - E432T8IS347/L	4	IS					/					
	16358 - E296T8IS347/N	2	IS					/					
OVI VANIA O	QTP 2X32T8/347 ISN-SC	2	IS					/					
SYLVΔNIΔ Osram 🗀	QHE 4X32T8/347 ISN-SC	4	IS					/					

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

Compatibility List

Choice LED Linears Ballast



LED T8

Order code	Description
66989	T8/15W/835/48/CH0ICE/STD
66990	T8/15W/840/48/CHOICE/STD
66991	T8/15W/850/48/CHOICE/STD

120-277 V (1/3)

	Ballast Descript	ion		1 La	amp	2 La	mps	3 La	mps	4 Lamps			
		Number	01 - 11 - 1				Input \	/oltage				Ballast	
Brand	Order code	of lamps	Starting Method	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	version	
Arcata	ACT2P32ISUNV	2	IS									/	
AlGala	ACT4P32ISUNV	4	IS									/	
	ICN-1P32-N	1	IS									/	
	ICN-2P32-N	2	IS									REV C/E	
	ICN-3P32-N	3	IS									REV D	
	ICN-4P32-N	4	IS									REV D	
	ICN-2P32-SC	2	IS									/	
	ICN-4P32-SC	4	IS									REV D	
	ICN-4P32-SC	4	IS									REV C	
	ICN-2S40-N	2	RS									/	
	IOPA-1P32-N	1	IS									REV B	
Advance	IOPA-2P32-N	2	IS									REV A	
Auvance	IOPA-4P32-N	4	IS									REV C	
	IOPA-1P32-LW-N	1	IS									REV A	
	IOPA-2P32-LW-N	2	IS									REV B	
	IOPA-4P32-LW-N	4	IS									REV A	
	IOP-4PSP32-SC	4	PS									REV B	
	RCN-2S32-SC	2	PS									REV D	
	REL-2P32-SC	2	IS									UL 704G	
	REL-2P32-SC	2	IS									UL3K70	
	REL-4P32-RH-TP	4	IS									/	
	RELB-2S40-N	2	RS									/	
Eiko	PM 2x32T8-UNV-IS-L	2	IS									/	
	VE232MVHIP	2	IS									/	
	VE232MVHIPE	2	IS									/	
	VE232MVHIPHE	2	IS									/	
Espen	VE232MVHIPLE	2	IS									/	
	VE432MVHIP	4	IS									/	
	VE432MVHIPE	4	IS									/	
	VE432MVHIPHE	4	IS									/	
	NPY-120-232-LT8	2	PS									/	
	NPY-120-432-T8B	4	IS									/	
	NPY-120-432-T8-IS	4	IS									/	
Fulham	WHCG3-120-T8-IS	3	IS									/	
	WHCG5-120-T12-RS	2	RS									/	
	WH2-120-L	1	IS									/	
	WH5-120-L	4	IS									/	

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A



120-277 V (2/3)

First Firs		Ballast Description	1		1 L	amp	2 La	ımps	3 La	mps	4 Lamps		Ballast
FESTAND	D I	0.1	Number	Starting				Input \	/oltage				version
FRISCHME-HE 2 IS FRISCHME-HE 2 IS FRISCHME-HE 2 IS FRISCHME-HE 2 IS FRISCHME-PRO-HE 2 PS FRISCHME-PRO-HE 4 IS FRISCHME-HE 4 I	Brand	Order code			120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	VOISIOII
Fusion		FB232MVE	2	IS									/
Fusion		FB232MVE-HE	2	IS									/
F8320ME		FB232MVE-LHE	2	IS									/
HISCAMME	Fusion	FB232MVE-PPS-HE	2	PS									/
PR-432MK-PE	Fusion	FB332MVE	3	IS									/
FB432MW-PPG-HE		FB432MVE	4	IS									/
GE123MAP-MULTIA		FB432MVE-HE	4	IS									/
GE 2321-120PS-DVB		FB432MVE-PPS-HE	4	PS									/
GE 232-120-PS-N 2		GE132MAXP-N/ULTRA	1	IS									/
GE222MAY-UILTRA 2 IS		GE 232-120RES-DIYB	2	IS									/
GE232MAVP-JULTRA 2 IS		GE 232-120-PS-N	2	PS									/
GE232MAVP-MULTRA		GE232MAX-G-N	2	IS									/
GE232MAVP-HULTRA		GE232MAXP-L/ULTRA	2	IS									/
GE GE232-M/V-N GE232-M/VS-N GE2		GE232MAXP-N/ULTRA	2	IS									/
GE GE232-M/V-N GE232-M/VS-N GE2		GE232MAXP-H/ULTRA	2	IS									/
BEZ3E-MIPS-N 2 PS	0=	GE232-MV-N	2										/
GE332-MVPS-H	GE	GE232-MVPS-L	2	PS									/
GE332MAX-LULTRA		GE232-MVPS-N	2	PS									/
GE332MAX-LULTRA		GE232-MVPS-H	2	PS									/
GE332MV-N-DIY													/
GE432MAX-H-ULITRA													/
GE432MAX-H/ULTRA		GE432MAX-G-N											/
GE432MAX-H-42T			4										/
Greenhill GH2P59ISUNV			4										/
Halco			2										/
Halco EP332IS/L/MV/HE 2 IS	Greenhill												/
Halco EP332IS/L/MV/HE 3 IS			2										/
Halco													/
EP432IS/L/MV/HE	Halco		3										/
EP432IS/MV/MC			4										/
Howard EP3/32IS/MV/SC/HE 3 IS													/
Howard EP4/32IS/MV/MC/HE			3										/
Huafeng	Howard		4										/
Red			2										/
KTEB-232-UV-IS-N-P	Huafeng												/
KTEB-332-UV-IS-N-P													Version D1
Name	Keystone												Version B
OSTAM OSTAM QHE 2x32T8/UNV ISL SC 2 IS IS <t< td=""><td>110,010110</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Version A1</td></t<>	110,010110												Version A1
Osram QTP 2x32T8/UNV ISN-SC 2 IS QTP 3x32T8/UNV PSX-SC 3 PS QHE 4x32T8/UNV ISL SC 4 IS QHE 4x32T8/UNV PSN-SC 4 PS QTP 4x32T8/UNV ISN-SC 4 IS QTP 4x32T8/UNV ISN-SC 4 IS EB-332IS-U 3 IS													/
Osram QTP 3x32T8/UNV PSX-SC 3 PS QHE 4x32T8/UNV ISL SC 4 IS QHE 4x32T8/UNV PSN-SC 4 PS QTP 4x32T8/UNV ISN-SC 4 IS QTP 4x32T8/UNV ISN-SC 4 IS Pacific EB-332IS-U 3													/
Osram QHE 4x32T8/UNV ISL SC 4 IS QHE 4x32T8/UNV PSN-SC 4 PS QTP 4x32T8/UNV ISN-SC 4 IS Pacific EB-332IS-U 3 IS IS													/
QHE 4x32T8/UNV PSN-SC 4 PS QTP 4x32T8/UNV ISN-SC 4 IS Pacific EB-332IS-U 3 IS	0sram												/
QTP 4x32T8/UNV ISN-SC 4 IS Pacific EB-332IS-U 3 IS													1
Pacific EB-332IS-U 3 IS													1
Pacific													/
EB-432IS-U 4 IS	Pacific	EB-432IS-U											/
Plusrite BAF232IS/MV/H 2 IS	Plusrite												/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/



N/A

non-compatible

compatible

120-277 V (3/3)

	Ballast Description	l		1 La	1 Lamp 2 Lamps			3 La	mps	4 Lamps		Ballast		
Brand	Order code	Number	Starting	Input Voltage										
Diallu	Order code	of lamps	Method	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	version		
PQL	70201	2	IS									/		
PUL	70204	4	IS									/		
Premium	BB-T8/UVH-2x32	2	IS									/		
Premium	BB-T8/UVH-3x32	3	IS									/		
Robertson	RSW240T12120	2	PS									/		
	61123 - E232T8IS120/L/AS	2	IS									/		
	61126 - E232T8IS120/L/AS/BULK	2	IS									/		
	61113 - E232T8IS120/N/AS	2	IS									/		
	61124 - E232T8IS120/N/AS/BULK	2	IS									/		
Standard	59770 - E432T8IS120/H/90C	4	IS									/		
	61120 - E432T8IS120/L/AS	4	IS									/		
	61127 - E432T8IS120/L/AS/BULK	4	IS									/		
	61114 - E432T8IS120/N/AS	4	IS									/		
	61125 - E432T8IS120/N/AS/BULK	4	IS									/		
Sunpark	SL15T	2	PS									/		
TCP	E4P32PSUNVE	4	PS									/		
	B232IUNVHP-N	2	IS									REV B		
Universal	B332IUNVHP-A	3	IS									REV B		
	B432IUNVHP-A	4	IS									REV B		

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



347 V

	Ballast Description			1 L	amp	2 La	amps	3 La	amps	4 La	ımps	Ballast
D I	0.1	Number	Starting				Input '	Voltage				version
Brand	Order code	of lamps	Method	347 V	480 V	347 V	480 V	347 V	480 V	347 V	480 V	
Arcata	ACT2P32IS347	2	IS									/
Altala	ACT4P32IS347	4	IS									/
	GOPA-2P32-LW-N	2	IS									REV A
	GOPA-2P32-LW-SC	2	IS									REV D
Advance	GOPA-4P32-LW-SC	4	IS									REV D
	GOPA-2P32-SC	2	IS									REV C
	GOPA-4P32-SC	4	IS									REV D
	FB232347E-HE	2	IS									/
	FB232347E-L	2	IS									/
Fusion	FB232347E-PPS-HE	2	PS									/
Fusion	FB432347E-HE	4	IS									/
	FB432347E-L	4	IS									/
	FB432347E-PPS-HE	4	PS									/
	GE232MAX347-H	2	IS									/
GE	GE332MAX347-H	3	IS									/
	GE432MAX347-H	4	IS									/
Magnetek	B232l347HP	2	IS									/
	QHE 2x32 T8/347 ISL-SC	2	IS									/
0sram	QHE 2x32 T8/347 ISN-SC	2	IS									/
	QHE 4x32 T8/347 ISL-SC	4	IS									/
	60076 - E232T8IS347/H/90C	2	IS									/
	58278 - E232T8IS347/L/BULK	2	IS									/
	10293 - E232T8IS347/N	2	IS									/
	31549 - E232T8IS347/N/BULK	2	IS									/
Standard	31036 - E432T8IS347/L	4	IS									/
	56603 - E432T8IS347/L/BULK	4	IS									/
	10294 - E432T8IS347/N	4	IS									/
	31552 - E432T8IS347/N/BULK	4	IS									/
	59771 - E432T8IS347/H/90C	4	IS									/
Illtracous	JR232347	2	RS									/
Ultrasave	MR232347	2	IS									/
	B232I347HE-A	2	IS									/
Universal	B432I347HE-A	4	IS									/
	B432I347RH	4	IS									REV H

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.