

# Eaton FWH-150B

Catalog Number: FWH-150B

Eaton Bussmann series FWH high speed fuse, 1000 Vac, 800 Vdc, 150A, 200 kAIC at 1000 Vac, 50 kAIC at 500 Vdc, None, High speed fuse, Blade end X blade end, Stud

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series high speed cylindrical fuse	FWH-150B
	UPC
	051712795845
<b>EAN</b>	<b>Product Length/Depth</b>
5027590020855	91 mm
<b>Product Height</b>	<b>Product Width</b>
30 mm	30 mm
<b>Product Weight</b>	<b>Warranty</b>
154 g	Not Applicable
<b>Compliances</b>	<b>Certifications</b>
CE Marked RoHS Compliant	UL Recognized CSA Certified



## Product specifications

### Rated voltage DC

500 V

### Interrupt rating

50 kAIC at 500 Vdc

200 kAIC at 1000 Vac

### Center-to-center distance of connections

74.09 mm

### Insulated metal gripping lugs (IMGL)

No

### Current type

AC/DC

### Mounting method

Stud

### Amperage Rating

150 A

### Fuse type

FWH-B

### Rated switching capacity

200 kA

### Voltage rating

500 Vac, 500 Vdc

### Fuse indicator

Non Indicating

### Construction size

Other

### Clearing (I2T)

4600

### Rated voltage AC

500 V

### Color

None

### Connection

Blade end x blade end

### Mounting dimension

M8

## Resources

### Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

### Specifications and datasheets

Eaton Specification Sheet - FWH-150B

#### Utilization category

aR (accompanied semiconductor protection)

#### Watt losses

30 W

#### Type

High speed fuse

#### Fuse shape

Center bolted tags

#### Breaking capacity

200 kA

#### Class

Class aR

#### Pre arc (I2T)

1100

#### Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

#### Voltage type

AC/DC



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)