# Eaton LP-CC-10

## Catalog Number: LP-CC-10

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 10 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 20 kAIC at 150 Vdc|200 kAIC at 600 V, Melamine tube, 10, 600 V, 150 Vdc

### General specifications

Product Name Eaton Bussmann series LP-CC fuse UPC

Catalog Number LP-CC-10

Product Length/Depth 1.5 in

Product Width

.41 in

Warranty

Not Applicable

Powering Business Worldwide

Compliances

051712180245

**Product Height** 

**Product Weight** 

.41 in

.15 lb

CE Marked RoHS Compliant

## Product specifications

#### Fuse indicator

Non-indicating

Special features

Non-indicating

Interrupt rating 200 kAIC at 600 Vac 20 kAIC at 150 Vdc

#### Number of elements

Dual

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Quantity

10

Material

Melamine tube

Amperage Rating

10 A

Type Current-limiting time-delay fuse

Class

Class CC

Voltage rating 600 Vac, 150 Vdc

Application Specialized circuits and industrial control

Packaging type

Standard

## Resources

CatalogsLP-CC-10~LOW PEAK CC TIME DELAYBussmann series complete full line catalog no. 1007MultimediaBussmann series Fuseology

Specifications and datasheets Eaton Specification Sheet - LP-CC-10

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia