



Energy Advantage CDM Lamps with Allstart Technology

Allstart Energy Adv 330W ED37 CL 1SL

Philips Energy Advantage CDM lamps with AllStart Technology is a high-efficiency protected “O” rated CDM lighting solution that provides energy savings without compromising light quality.

Warnings and Safety

- R "WARNING: These lamps can cause serious skin burn and eye inflammation from short wave ultraviolet radiation if outer envelope of the lamp is broken or punctured. Do not use where people will remain for more than a few minutes unless adequate shielding or other safety precautions are used. Certain lamps that will automatically extinguish when the outer envelope is broken or punctured are commercially available." This lamp complies with FDA radiation performance standard 21 CFR subchapter J. (USA: 21 CFR 1040.30 Canada: SOR/DORS/80-381)

Product data

General Information		Luminous Efficacy (rated) (Nom)		97 lm/W	
Cap-Base	EX39 [Exclusionary Mogul Screw]	Color rendering index (CRI)	86		
Operating Position	UNIVERSAL [Any or Universal (U)]	Operating and Electrical			
Features	Energy Advantage AllStart	Lamp Current (Nom)	3.02 A		
Light Technical		Voltage (Nom)	130 V		
Color Code	940 [CCT of 4000K]	Voltage (Nom)	130 V		
Color Designation	4000 Kelvin	Mechanical and Housing			
Saturated Red (R9)	50	Bulb Finish	Clear		
Chromaticity Coordinate X (Nom)	0.381	Bulb Shape	ED37		
Chromaticity Coordinate Y (Nom)	0.384				
Luminous Efficacy (Rated) (Min)	91 lm/W				

Energy Advantage CDM Lamps with Allstart Technology

Approval and Application

Mercury (Hg) Content (Max) 50 mg

Product Data

Order product name Allstart Energy Adv 330W ED37 CL 1SL

Order code 928601165903

Numerator - Quantity Per Pack 1


Numerator - Packs per outer box 6

Material number (12NC) 928601165903

Full product name Allstart Energy Adv 330W ED37 CL 1SL


EAN/UPC - Case 50046677232592

Dimensional drawing




Product	D (max)	D	L (max)	L	C
Allstart Energy Adv 330W ED37 CL 1SL	118 mm	4.625 inch	184 mm	178 mm	115 inch

Photometric data




Spectral Power Distribution Colour - Allstart Energy Adv 330W ED37 CL 1SL

Lifetime



Life Expectancy Diagram - Allstart Energy Adv 330W ED37 CL 1SL



Lumen Maintenance Diagram - Allstart Energy Adv 330W ED37 CL 1SL

Energy Advantage CDM Lamps with Allstart Technology

