

Eaton CH222DU

Catalog Number: CH222DU

Fuse accessory, Fuse-holder, low voltage, 125 A, AC 690 V, 22 x 58 mm, 2P, IEC, UL, C22M and C22G fuses, IEC 60269-1, IEC 60269-2, IP20

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage cylindrical fuse holder	CH222DU
	Model Code
	2P 22x58 Fuse Holder
UPC	EAN
051712685399	5027590497060
Product Length/Depth	Product Height
77 mm	123 mm
Product Width	Product Weight
71 mm	275 g
Compliances	Certifications
CE Marked	IEC 60269-2
RoHS Compliant	EAC
	IEC 60269-1
	UL Listed File E14853

Product specifications

Optical defect indication

No

Built-in depth

51.5 mm

Voltage rating at DC

1000 V d.c. (IEC)

Material

Polyester

Lockable

Yes

Mounting method

DIN rail

2 x M4 Panel mounting screws

Operating temperature details

-20°C to +70°C

Amperage Rating

125 A

Voltage rating at AC

690 V a.c. (IEC) and 700 V a.c. (UL)

Number of Poles

Two-pole

Fuse type

C22G

C22M

Accessories

JV-L Multipole connector kit, CH22-CTP IP20 Protection accessory

Type

fuse accessory

Width in number of modular spacings

3

Used with

C22G, C22M, FWP-(amps)A22F fuses

Fuse size

22 x 58 mm

Model

Resources

Compliance information

CE Modular fuse-holders

UKCA Modular fuse-holders

Specifications and datasheets

Eaton Specification Sheet - CH222DU

Technical data sheets

10080 14 x 51 mm Modular fuse holder

720147 10 x 38 mm Modular fuse holder

10115 22 x 58 mm Modular fuse holder

CH22

Voltage rating

690 V

Application

Industrial and Commercial applications

Torque rating

Min 4 Nm/ Max 5 Nm

Concurrently switching N-neutral

No

Degree of protection

IP20



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)