

Eaton EHBPL2000R-PDU1U

Catalog Number: EHBPL2000R-PDU1U

Eaton Basic rack PDU, 1U - EHBPL2000R-PDU1U

General specifications

Product Name	Catalog Number
Eaton HotSwap MBP	EHBPL2000R-PDU1U
UPC	Product Length/Depth
743172067357	17.3 in
Product Height	Product Width
2.1 in	3.8 in
Product Weight	Warranty
.0001 lb	3 year
Compliances	Certifications
Contact Manufacturer	UL Listed



Product specifications

Outlet control

No

Cord length

8 ft

Phase

Single-phase

Input voltage

110-125V

Color

Black

Wattage

1.92 kW max

Form factor

2U

Mounting direction

Horizontal

Amperage Rating

16A

Input connection

5-20P

Outlets

(6) 5-20R

Type

PDU

Frequency rating

50-60 Hz

Number of Outputs 5-20R

6

Operating Temperature

0° to 60°C (32° to 140°F)

Circuit breaker

None

Resources

Brochures

[Eaton Flex and Hotswap MBP ePDU brochure](#)

Drawings

[Eaton FlexPDU EHBPL 2000R-PDU1U technical drawing](#)

[Eaton ePDU visio stencils](#)

Specifications and datasheets

[Eaton Specification Sheet - EHBPL2000R-PDU1U](#)

User guides

[Eaton FlexPDUs and HotSwap MBP installation and user manual](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)