



Quality Products. Service Excellence.

## Type 4X Stainless Steel Wallmount Enclosure *HWSSHK Series*

Hinge Door with Handle



**Panel  
Sold  
Separately**



### Application

- Designed to enclose electrical and/or electronic equipment and protect against harsh, industrial environments for wallmount applications.
- Provides high level of protection where equipment is hosed down or otherwise be exposed to wet conditions where corrosion is a serious problem.
- Ideal for processing plants, utility, outdoor municipal or petro chemical locations where easy yet secure access is required.

### Standards

- UL 508A Type 3R, 4, 4X and 12
- CSA Type 3R, 4, 4X and 12
- Complies with
  - NEMA 3R, 4, 4X, 12 and 13
  - IEC 60529, IP 66

### Construction


- Formed 304 or 316 stainless steel.
- Continuously welded seams ground smooth.
- Formed lip on enclosure to exclude flowing liquids and contaminants.
- 316 Stainless pad lockable handle with 3 point roller latching system secures door.
- Stainless steel continuous hinge on door may be removed by pulling the stainless steel hinge pin
- Seamless poured-in place gasket.
- Collar studs provided for mounting inner panel.
- Bonding stud provided on door and grounding stud installed in enclosure.

### Finish

- Cover and enclosure are natural stainless steel with smooth brushed finish.

### Accessories

- |                              |                    |
|------------------------------|--------------------|
| • Inner Panels               | • Cooling Products |
| • Blowers and Fans           | • Ventilation      |
| • Door Stop Kit              | • Drip Shield Kit  |
| • Floor Stand Kit            | • Filtered Fans    |
| • Filterfan Rainhoods        | • Heaters          |
| • Gland Plates               | • Gland Plates     |
| • Type 3R Louvered Vent Kits | • Swing Panel Kit  |
| • Terminal Kits              | • Window Kits      |
| • Temperature Controls       | • Hole Plugs       |
| • Type 4, 4X Handle Kits     | • Ground Wire Kits |



304 S.S. Part No.	316 S.S. Part No.	A	B	C	Opt. Panel Part No.	Galv. Steel Part No.	Mounting Centers F	Mounting Centers G	Ship Wt. (lbs)
HW24206SSHK	HW24206S16HK	24.00	20.00	6.00	18P2117	18G2117	14.00	25.25	54
HW24246SSHK	HW24246S16HK	24.00	24.00	6.00	18P2121	18G2121	18.00	25.25	56
HW24168SSHK	HW24168S16HK	24.00	16.00	8.00	18P2113	18G2113	10.00	25.25	57
HW24208SSHK	HW24208S16HK	24.00	20.00	8.00	18P2117	18G2117	14.00	25.25	54
HW24248SSHK	HW24248S16HK	24.00	24.00	8.00	18P2121	18G2121	18.00	25.25	66
HW24308SSHK	HW24308S16HK	24.00	30.00	8.00	18P2721	18G2721	24.00	25.25	76
HW30208SSHK	HW30208S16HK	30.00	20.00	8.00	18P2717	18G2717	14.00	31.25	62
HW30248SSHK	HW30248S16HK	30.00	24.00	8.00	18P2721	18G2721	18.00	31.25	76
HW30308SSHK	HW30308S16HK	30.00	30.00	8.00	18P2727	18G2727	24.00	31.25	82
HW36248SSHK	HW36248S16HK	36.00	24.00	8.00	18P3321	18G3321	18.00	37.25	83
HW36308SSHK	HW36308S16HK	36.00	30.00	8.00	18P3327	18G3327	24.00	37.25	98
HW42368SSHK	HW42368S16HK	42.00	36.00	8.00	18P3933	18G3933	30.00	43.25	143
HW48368SSHK	HW48368S16HK	48.00	36.00	8.00	18P4533	18G4533	30.00	49.25	168

304 S.S. Part No.	316 S.S. Part No.	A	B	C	Opt. Panel Part No.	Galv. Steel Part No.	Mounting Centers F G		Ship Wt. (lbs)
HW242010SSHK	HW242010S16HK	24.00	20.00	10.00	18P2117	18G2117	14.00	25.25	61
HW302410SSHK	HW302410S16HK	30.00	24.00	10.00	18P2721	18G2721	18.00	31.25	107
HW362410SSHK	HW362410S16HK	36.00	24.00	10.00	18P3321	18G3321	18.00	37.25	91
HW363010SSHK	HW363010S16HK	36.00	30.00	10.00	18P3327	18G3327	24.00	37.25	102
HW423010SSHK	HW423010S16HK	42.00	30.00	10.00	18P3927	18G3927	24.00	43.25	148
HW483610SSHK	HW483610S16HK	48.00	36.00	10.00	18P4533	18G4533	30.00	49.25	176
HW242412SSHK	HW242412S16HK	24.00	24.00	12.00	18P2121	18G2121	18.00	25.25	62
HW302412SSHK	HW302412S16HK	30.00	24.00	12.00	18P2721	18G2721	18.00	31.25	82
HW363012SSHK	HW363012S16HK	36.00	30.00	12.00	18P3327	18G3327	24.00	37.25	113
HW363612SSHK	HW363612S16HK	36.00	36.00	12.00	18P3333	18G3333	30.00	37.25	174
HW423612SSHK	HW423612S16HK	42.00	36.00	12.00	18P3933	18G3933	30.00	43.25	180
HW483612SSHK	HW483612S16HK	48.00	36.00	12.00	18P4533	18G4533	30.00	49.25	186
HW603612SSHK	HW603612S16HK	60.00	36.00	12.00	18P5733	18G5733	30.00	61.25	219
HW302416SSHK	HW302416S16HK	30.00	24.00	16.00	18P2721	18G2721	18.00	31.25	87
HW363016SSHK	HW363016S16HK	36.00	30.00	16.00	18P3327	18G3327	24.00	37.25	126
HW483616SSHK	HW483616S16HK	48.00	36.00	16.00	18P4533	18G4533	30.00	49.25	251
HW603616SSHK	HW603616S16HK	60.00	36.00	16.00	18P5733	18G5733	30.00	61.25	229

Data subject to change without notice

© 2017. Hammond Manufacturing Ltd. All rights reserved.