



MasterColor CDM-TC T4 Elite

MASTERColor CDM-TC Elite 35W/930 G8.5

Philips MasterColor CDM Evolution 3000K Tubular Single-Ended. T4 Lamp is the next evolution of MasterColor.

Warnings and Safety

• R "WARNING: These lamps can cause serious skin burn and eye inflammation from short wave ultraviolet radiation if outer envelope of the lamp is broken or punctured. Do not use where people will remain for more than a few minutes unless adequate shielding or other safety precautions are used. Certain lamps that will automatically extinguish when the outer envelope is broken or punctured are commercially available." This lamp complies with FDA radiation performance standard 21 CFR subchapter J. (USA:21 CFR 1040.30 Canada: SOR/DORS/80-381)

Product data

General Information					
Cap-Base	G8.5 [G8.5]				
Operating Position	UNIVERSAL [Any or Universal (U)]				
Life to 50% Failures (Nom)	20,000 hour(s)				
Light Technical					
Color Code	930 [CCT of 3000K]				
Color Designation	Warm White (WW)				
Chromaticity Coordinate X (Nom)	0.435				
Chromaticity Coordinate Y (Nom)	0.396				
Correlated Color Temperature (Nom)	3000 K				
Luminous Efficacy (rated) (Nom)	102 lm/W				
Color rendering index (CRI)	90				
Operating and Electrical					
Power Consumption	39.1 W				

Voltage (Nom)	85 V					
Voltage (Nom)	85 V					
Controls and Dimming						
Dimmable	No					
Mechanical and Housing						
Bulb Finish	Clear					
Bulb Shape	T14 [T 14 mm]					
Approval and Application						
Mercury (Hg) Content (Nom)	4.7 mg					
Energy Consumption kWh/1000 h	43 kWh					
Product Data						
Order product name	MASTERColor CDM-TC Elite 35W/930 G8.5					


Datasheet, 2023, November 6 data subject to change

MasterColor CDM-TC T4 Elite

Order code	928189105115				
Numerator - Quantity Per Pack	1				
Numerator - Packs per outer box	12				
Material Nr. (12NC)	928189105115				
Full product name	MASTERColor CDM-TC Elite 35W/930 G8.5				


EAN/UPC - Case	50046677409161			
EAN/UPC - Product/Case	046677409166			


Dimensional drawing




Product	D (max)	0	L (min)	L (max)	L	C (max)
MASTERColor CDM-TC Elite	15 mm	4.8 mm	51 mm	53 mm	52 mm	85 mm
35W/930 G8.5						

Photometric data









Light Distribution Diagram - MASTERColor CDM-TC Elite 35W/930 G8.5

Spectral Power Distribution Colour - MASTERColor CDM-TC Elite 35W/930 G8.5

Lifetime





Lumen Maintenance Diagram - MASTERColor CDM-TC Elite 35W/930 G8.5

Life Expectancy Diagram - MASTERColor CDM-TC Elite 35W/930 G8.5

MasterColor CDM-TC T4 Elite



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.