SIEMENS

Data sheet 3RX9010-0AA00

AS-i cable, shaped yellow, rubber 2x 1.5 mm2, 100 m consists of 100 m cable



General technical data		
design of the product		S-Interface shaped cables
Colour		ellow (AS-Interface)
Material		bber
Quantity		00 m roll
Mechanical data		
Without silicone precipitation		es
bending radius		
 for permanently laid cable minimum permissible 		2 mm
 with moving cable minimum permissible 		4 mm
Without halogens		es
Flexibility		ery good
Bending behavior according according to DIN VDE 0472 Part 603		b break after 30000 reverse bending cycles
Core colours		rown, blue
Ambient conditions		
Fire behavior		ammable
resistance to oil		onditionally resistant
Ozone and weather resistant		onditionally resistant
Temperature range		
• stationary		0 +85 °C
• moved		5 +85 °C
Certificates/ approvals		
General Product Approval	Declaration of Cor	n- other

Confirmation





Confirmation

Further information

Siemens has decided to exit the Russian market (see here).

 $\underline{https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business}$

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RX9010-0AA00

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RX9010-0AA00

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3RX9010-0AA00

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RX9010-0AA00&lang=en

last modified: 12/23/2020 🖸