



Neutral conductor, leading switching for Front mounting, Up to 32 A., Accessory for main and emergency stop switch 3LD2

Model			
product brand name	SENTRON		
product designation	Neutral conductor		
design of the product	accessories for 3LD2 main and EMERGENCY-STOP switches		
AWG number as coded connectable conductor cross section			
• minimum			14
• maximum			8
type of connectable conductor cross-sections for main contacts			
• finely stranded with core end processing			1x (1.5 ... 16 mm²)
• solid or stranded			1x (1.5...10 mm²)
Approvals Certificates			
General Product Approval	other	Environment	

[Confirmation](#)





[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

Further information
<p>Siemens has decided to exit the Russian market (see here). https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business</p> <p>Siemens is working on the renewal of the current EAC certificates. Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).</p> <p>Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875</p> <p>Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs</p> <p>Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9220-0B</p> <p>Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3LD9220-0B</p> <p>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9220-0B</p> <p>CAX-Online-Generator http://www.siemens.com/cax</p> <p>Tender specifications http://www.siemens.com/specifications</p>



last modified:

7/30/2022 