

#### **T8 TYPE A SERIES 5**

Standard: 120/277 V (1/2)

**69295** - T8/S5/8W/840/24/STD **69303** - T8/S5/8W/830/24/STD/SMX **69304** - T8/S5/8W/835/24/STD/SMX

	Ballast Description			1 Lamp		2 Lamps		3 Lamps		4 Lamps	
Dunad	Onderson	Starting	Number				Input \	/oltage			
Brand	Order code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
	61062 E232T8PS120-277/L/AS/BULK	PS	2								
	63627 E232T8PS120-277/N/AS	PS	2								
	60080 E332T8IS120/L/BULK	IS	3								
	61065 E432T8PS120-277/L/AS/BULK	PS	4								
	60075 E232T8IS120/H/90C	IS	2								
	61129 E432T8IS120-277/N/AS	IS	4								
	59770 E432T8IS120/H/90C	IS	4								
Standard	31037 STD DESC BE117/32PI120/L/SL/TP/STD GLB	IS	1								
	31010 STD DESC B132T8IS120/N	IS	1								
	61114 E432T8IS120/N/AS	IS	4								
	61113 E232T8IS120/N/AS	IS	2								
	61120 E432T8IS120/L/AS	IS	4								
	61122 E332T8IS120/N/AS	IS	3								
	61123 E232T8IS120/L/AS	IS	2								
	61134 E432T8IS120-277/L/AS	IS	4								

**69296** - T8/S5/10W/840/36/STD **69305** - T8/S5/10W/835/36/STD/SMX **69306** - T8/S5/10W/840/36/STD/SMX

	Ballast Description			1 La	amp	2 La	mps	3 La	mps	4 Lamps	
Drond	Ouder code	Starting	Number				Input \	/oltage			
Brand	Order code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
	61062 E232T8PS120-277/L/AS/BULK	PS	2								
	63627 E232T8PS120-277/N/AS	PS	2								
	60080 E332T8IS120/L/BULK	IS	3								
	61065 E432T8PS120-277/L/AS/BULK	PS	4								
	60075 E232T8IS120/H/90C	IS	2								
	61129 E432T8IS120-277/N/AS	IS	4								
	59770 E432T8IS120/H/90C	IS	4								
Standard	31037 STD DESC BE117/32Pl120/L/SL/TP/STD GLB	IS	1								
	31010 STD DESC B132T8IS120/N	IS	1								
	61114 E432T8IS120/N/AS	IS	4								
	61113 E232T8IS120/N/AS	IS	2								
	61120 E432T8IS120/L/AS	IS	4								
	61122 E332T8IS120/N/AS	IS	3								
	61123 E232T8IS120/L/AS	IS	2								
	61134 E432T8IS120-277/L/AS	IS	4								

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/



Standard: 120/277 V (2/2)

**69297 -** T8/S5/11W/835/48/STD **69298 -** T8/S5/11W/840/48/STD **69299 -** T8/S5/11W/850/48/STD

69307 - T8/S5/11W/830/48/STD/SMX 69308 - T8/S5/11W/835/48/STD/SMX 69309 - T8/S5/11W/840/48/STD/SMX 69310 - T8/S5/11W/850/48/STD/SMX

	Ballast Description			1 La	amp	2 Lamps		3 Lamps		4 Lamps	
Duond	Ouder ende	Starting	Number				Input \	/oltage			
Brand	Order code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
	61062 E232T8PS120-277/L/AS/BULK	PS	2								
	63627 E232T8PS120-277/N/AS	PS	2								
	60080 E332T8IS120/L/BULK	IS	3								
	61065 E432T8PS120-277/L/AS/BULK	PS	4								
	60075 E232T8IS120/H/90C	IS	2								
	61129 E432T8IS120-277/N/AS	IS	4								
	59770 E432T8IS120/H/90C	IS	4								
Standard	31037 STD DESC BE117/32PI120/L/SL/TP/STD GLB	IS	1								
	31010 STD DESC B132T8IS120/N	IS	1								
	61114 E432T8IS120/N/AS	IS	4								
	61113 E232T8IS120/N/AS	IS	2								
	61120 E432T8IS120/L/AS	IS	4								
	61122 E332T8IS120/N/AS	IS	3								
	61123 E232T8IS120/L/AS	IS	2								
	61134 E432T8IS120-277/L/AS	IS	4								

**69300 -** T8/S5/14W/835/48/STD **69301 -** T8/S5/14W/840/48/STD **69302 -** T8/S5/14W/850/48/STD

69311 - T8/S5/14W/830/48/STD/SMX 69312 - T8/S5/14W/835/48/STD/SMX 69313 - T8/S5/14W/840/48/STD/SMX 69314 - T8/S5/14W/850/48/STD/SMX

	Ballast Description			1 La	amp	2 La	mps	3 La	ımps	4 Lamps	
Duand	Ondersede	Starting	Number				Input \	/oltage			
Brand	Order code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
	61062 E232T8PS120-277/L/AS/BULK	PS	2								
	63627 E232T8PS120-277/N/AS	PS	2								
	60080 E332T8IS120/L/BULK	IS	3								
	61065 E432T8PS120-277/L/AS/BULK	PS	4								
	60075 E232T8IS120/H/90C	IS	2								
	61129 E432T8IS120-277/N/AS	IS	4								
	59770 E432T8IS120/H/90C	IS	4								
Standard	31037 STD DESC BE117/32PI120/L/SL/TP/STD GLB	IS	1								
	31010 STD DESC B132T8IS120/N	IS	1								
	61114 E432T8IS120/N/AS	IS	4								
	61113 E232T8IS120/N/AS	IS	2								
	61120 E432T8IS120/L/AS	IS	4								
	61122 E332T8IS120/N/AS	IS	3								
	61123 E232T8IS120/L/AS	IS	2								
	61134 E432T8IS120-277/L/AS	IS	4								

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



Standard: 347 V (1/2)

69295 - T8/S5/8W/840/24/STD 69303 - T8/S5/8W/830/24/STD/SMX 69304 - T8/S5/8W/835/24/STD/SMX

	Ballast Description			1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast
Book	0.1	Starting	Number		Input V	oltage		Version
Brand	Order code	Method	of lamps	347 V	347 V	347V	347 V	
	10294 E432T8IS347/N	IS	4					
	56603 E432T8IS347/L/BULK	IS	4					
	59771 E432T8IS347/H/90C	IS	4					
	61066 E432T8PS347/L/AS/BULK	PS	4					
	61064 E432T8PS347/N/AS/BULK	PS	4					
Standard	66150 E232T8IS/MIC/347/N/AS	IS	2					
otandard	56557 E132T8IS347/L/BULK	IS	1					
	62992 E232T8PS347/N/AS/BULK	PS	2					
	59741 E232T8PS347/H/XTRM	PS	2					
	66152 E232T8IS/MIC/L/AS/BULK	IS	2					
	60076 E232T8IS347/H/90C	IS	2					
	60079 E332T8IS347/L/90C/BULK	IS	3					

69296 - T8/S5/10W/840/36/STD 69305 - T8/S5/10W/835/36/STD/SMX 69306 - T8/S5/10W/840/36/STD/SMX

	Ballast Description			1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast
Dunad	Oudersede	Starting	Number		Input V	oltage		Version
Brand	Order code	Method	of lamps	347 V	347 V	347V	347 V	
	10294 E432T8IS347/N	IS	4					
	56603 E432T8IS347/L/BULK	IS	4					
	59771 E432T8IS347/H/90C	IS	4					
	61066 E432T8PS347/L/AS/BULK	PS	4					
	61064 E432T8PS347/N/AS/BULK	PS	4					
Standard	66150 E232T8IS/MIC/347/N/AS	IS	2					
otandara	56557 E132T8IS347/L/BULK	IS	1					
	62992 E232T8PS347/N/AS/BULK	PS	2					
	59741 E232T8PS347/H/XTRM	PS	2					
	66152 E232T8IS/MIC/L/AS/BULK	IS	2					
	60076 E232T8IS347/H/90C	IS	2					
	60079 E332T8IS347/L/90C/BULK	IS	3					·

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible

N/A



**Standard: 347V (2/2)** 69297 - T8/S5/11W/835/48/STD

69298 - T8/S5/11W/840/48/STD 69299 - T8/S5/11W/850/48/STD 69307 - T8/S5/11W/830/48/STD/SMX 69308 - T8/S5/11W/835/48/STD/SMX 69309 - T8/S5/11W/840/48/STD/SMX 69310 - T8/S5/11W/850/48/STD/SMX

	Ballast Description			1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast
Durand	Oudou oo do	Starting	Number		Input V	oltage		Version
Brand	Order code	Method	of lamps	347 V	347 V	347V	347 V	
	10294 E432T8IS347/N	IS	4					
	56603 E432T8IS347/L/BULK	IS	4					
	59771 E432T8IS347/H/90C	IS	4					
	61066 E432T8PS347/L/AS/BULK	PS	4					
	61064 E432T8PS347/N/AS/BULK	PS	4					
Standard	66150 E232T8IS/MIC/347/N/AS	IS	2					
Standard	56557 E132T8IS347/L/BULK	IS	1					
	62992 E232T8PS347/N/AS/BULK	PS	2					
	59741 E232T8PS347/H/XTRM	PS	2					
	66152 E232T8IS/MIC/L/AS/BULK	IS	2					
	60076 E232T8IS347/H/90C	IS	2					
	60079 E332T8IS347/L/90C/BULK	IS	3					

69302 - T8/S5/14W/850/48/STD 69311 - T8/S5/14W/830/48/STD/SMX 69312 - T8/S5/14W/835/48/STD/SMX 69313 - T8/S5/14W/840/48/STD/SMX 69314 - T8/S5/14W/850/48/STD/SMX

	Ballast Description			1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast
Dunad	0	Starting	Number		Input Vo	oltage		Version
Brand	Order code	Method	of lamps	347 V	347 V	347V	347 V	
	10294 E432T8IS347/N	IS	4					
	56603 E432T8IS347/L/BULK	IS	4					
	59771 E432T8IS347/H/90C	IS	4					
	61066 E432T8PS347/L/AS/BULK	PS	4					
	61064 E432T8PS347/N/AS/BULK	PS	4					
Standard	66150 E232T8IS/MIC/347/N/AS	IS	2					
Standard	56557 E132T8IS347/L/BULK	IS	1					
	62992 E232T8PS347/N/AS/BULK	PS	2					
	59741 E232T8PS347/H/XTRM	PS	2					
	66152 E232T8IS/MIC/L/AS/BULK	IS	2					
	60076 E232T8IS347/H/90C	IS	2					
	60079 E332T8IS347/L/90C/BULK	IS	3					



Order code	Description	Order code	Description	Order code	Description
69295	T8/S5/8W/840/24/STD	69302	T8/S5/14W/850/48/STD	69309	T8/S5/11W/840/48/STD/SMX
69296	T8/S5/10W/840/36/STD	69303	T8/S5/8W/830/24/STD/SMX	69310	T8/S5/11W/850/48/STD/SMX
69297	T8/S5/11W/835/48/STD	69304	T8/S5/8W/835/24/STD/SMX	69311	T8/S5/14W/830/48/STD/SMX
69298	T8/S5/11W/840/48/STD	69305	T8/S5/10W/835/36/STD/SMX	69312	T8/S5/14W/835/48/STD/SMX
69299	T8/S5/11W/850/48/STD	69306	T8/S5/10W/840/36/STD/SMX	69313	T8/S5/14W/840/48/STD/SMX
69300	T8/S5/14W/835/48/STD	69307	T8/S5/11W/830/48/STD/SMX	69314	T8/S5/14W/850/48/STD/SMX
69301	T8/S5/14W/840/48/STD	69308	T8/S5/11W/835/48/STD/SMX		

Other brands: 120/277 V (1/4)

	Ballast Description	ı		1 La	amp	2 La	mps	3 La	mps	4 La	ımps	Ballast
		Starting	Number				Input V	/oltage				version
Brand	Order code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	VOI SIGII
Act	ACT 2P32ISUNVE	IS	2									
Antron I Electronics	A32T8MICLO	IS	2									
Arcata	ACT 3P32ISUNVLE	IS	3									
Cooper Lighting	CL-432ISUNV-R1-B	IS	4									
Eiko	PM-2X32T8-UNV-IS-L	IS	2									
LIKU	PM-2X32T8-UNV-IS	IS	2									
Espen	VE232MVHIPE	IS	2									
Lapell	VE232MVHIPLE	IS	2									
	GE-232-MV-N	IS	2									
	GE232MAX-N/ULTRA	IS	2									
	GE432MAX-H/ULTRA	IS	4									
	GE432MAX-L/ULTRA	IS	4									
	GE432MAX-G-N	IS	4									
	GE132MAXP-N/ULTRA	IS	1									
	GE232MV-N-DIY	IS	2									
General Flectric	GE332MV-N	IS	3									
denoral Electric	GE332MAX-N/ULTRA	IS	3									
General Electric	GE332MAX-L/ULTRA	IS	3									
	GE332MAX-G-N	IS	3									
	GE432-120-RES	IS	4									
-	GE432MAX-N/ULTRA	IS	4									
_	GE332MAXP-L/ULTRA	IS	3									
_	GE232MAX-G-N	IS	2									
	GE-232-MV-PS-N	PS	2									
_	EP232IS/MV/HE	IS	2									
_	EP332IS/MV/HE	IS	3									
Halco	EP432IS/L/MV/HE	IS	4									
-	EP232IS/L/MV/HE	IS	2									
-	EP332IS/L/MV/HE	IS	3									
	EP432IS/120/MC	IS	4									
Hatch	HL232BIS/UV/HE/W	IS	2									
	HL432BIS/UV/HE/W	IS	4									
-	EP3/32IS/MV/SC/HE	IS	3									
-	EPL4/32IS/MV/MC/HE	IS	4									
-	E2/32IS-120MC	IS	2									
	EPL2/32IS/MV/MC/HE	IS	2									
Howard Industries	EPL3/32IS/MV/SC/HE	IS	3									
industries	EP4/32IS/MV/MC/HE	IS	4									
	EP2/32IS/MV/MC/HE	IS	2									
	EP3/32IS/MV/MC/HE	IS	3									
	EPH3/32IS/MV/MC/HE	IS PRS	3 4									
	EP4/32PPRS/MV/SC/HE	PHS	4									1

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



Other brands: 120/277 V (2/4)

	Ballast Description	ı		1 L	amp	2 La	ımps	3 La	mps	4 La	ımps	Ballas
		Starting	Number				Input \	/oltage				versio
Brand	Order code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	VOISIC
	KTEB-432RIS-1-TP-SL	IS	4									
	KTEB-332-UV-IS-N-P	IS	3									
KEYSTONE	KTEB-232LBF-1-TP-PIC-EV	IS	2									
	KTEB-432-UV-PS-N-P	PS	4									
	KTEB-232-UV-PS-L-P	PS	2									
LIGHTING PRODUCTS LIMITED	EB-332EBF-UV-TP-HE	IS	3									
211111125	SKEU322HEL/SC	IS	2									
AAAWI ITE	SKEU324HE/SC	IS	4									
MAXLITE	SKEU323L/SC	IS	3									
	MLEU322HEL/SC	IS	2									
	QTP 2X32T8/UNV ISN-SC	IS	2									
	QHE 2X32T8/UNV ISN-SC	IS	2									
	QHE 2X32T8/UNV ISL-SC	IS	2									
	QHE 4X32T8/UNV ISN-SC	IS	4									
	QHE 4X32T8/UNV ISL-SC	IS	4									
	QHE 1X32T8/UNV ISN-SC	IS	1									
	QHE 1X32T8/UNV ISL-SC	IS	1									
OSRAM	QTP 3X32T8/UNV ISN-SC	IS	3									
SYLVANIA	QHE 3X32T8/UNV ISN-SC	IS	4									
	QHE 3X32T8/UNV ISL-SC	IS	3									
	QTP2x32T8/277 ISN-D	IS	2									
	QTP 2X32T8/UNV ISL-SC	IS	2									
	QHE 1X32T8/UNV ISH-SC	IS	1									
	QHE 2X32T8/UNV PSH-HT	PRS	2									
	QHE 2X32T8/UNV PSN-MC	PRS	2									
	QHE 4X32T8/UNV PSN-SC	PRS	4									
Pacific	EB-232IS-120-RES	IS	2									
Flourescent	IOPA-2P32-N	IS	2									
	IOP-2P32-LW-N	IS	2									
	IOP-4P32-N	IS	4									
	IOP-4P32-LW-N	IS	4									
	IOP-1P32-N	IS	1									
	REB-4P32-SC	IS	4									
	VEL-2P32-SC	IS	2									
	IOPA-4P32-SC	IS	4									
	ICN-132-MC	IS	1									
ilips-Advance	ICN-3P32-SC	IS	3									
	VEL-3P32-SC	IS	3									
	IOPA-2P32-LW-N	IS	2									
	IOP-1P32-LW-N	IS	1									
	IOP-1P32-SC	IS	1									
	IOP-1P32-LW-SC	IS	1									
	IOP-3PSP32-SC	PS	3									
	IOP-4PSP32-SC	PS	4									
	IOP-4PSP32-LW-SC	PS	4									

ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

 $To \ validate \ compatibility \ with \ ballasts \ that \ are \ not \ on \ this \ list, \ please \ contact \ your \ sales \ representative$ 



Other brands: 120/277 V (3/4)

	Ballast Description			1 La	amp	2 La	mps	3 La	mps	4 La	mps	Ballast
Brand	Order code	Starting	Number				Input \	/oltage				version
Dianu	Order Code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
	BAF232IS/MV	IS	2									
	BAF332IS/MV	IS	3									
PLUSRITE	BAF332IS/MV/L	IS	3									
	BAF432IS/MV	IS	4									
	BAF432IS/MV/L	IS	4									
ProLume	EP232IS/L/MV/SL	IS	2									
TTOLUME	E432IS/120/R/SL	IS	4									
SOLA	E-758-U-232-MC	IS	2									
	120-1/32IS HPF	IS	1									
	U-2/32ISE-LBF	IS	2									
	U-3/32ISE	IS	3									
	120-3/32IS MPF	IS	3									
SUNPARK	U-4/32IS HP,F	IS	4									
	U-4/32ISE-LBF	IS	4									
	U-1/32PSE	PS	1									
	SL15T	RS	2									
	LC 12013T	PS	1									
Superior Life	70210	PS	2									
Superior Life	70211	PS	4									
SYLVANIA	QT 3x32/277 IS	IS	3									
TCP	E3P32ISUNVE	IS	3									
IUF	E4P32ISUNVE	IS	4									
	B232IUNVHP-N	IS	2									
	B232IUNVEL-A	IS	2									
	B233IUNVHE-A	IS	2									
	B432IUNVHE L-A	IS	4									
	B332IUNVHP-A	IS	3									
	B432IUNVHP-A	IS	4									
	B232I120RES-A	IS	2									
Universal Lighting	B232IUNVHP-B	IS	2									
Technologies	B432IUNVHE-A	IS	4									
	B432IUNVHEH-E	IS	4									
	B232I277RH-A	IS	4									
	B132IUNVEL-A	IS	1									
	B432PUNVHE-A	PS	4									
	B232PUNVHE-B	PS	2									
	B332PUNVHE-A	PS	3									
	B232SR277S30	RS	2									

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



#### Other brands: 120/277 V (4/4)

	Ballast Description					2 La	mps	3 Lamps		4 Lamps		- Ballast	
Duond	Oudou oodo	Starting	Number	Input Voltage									
Brand	Order code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V		
	DB-232N-MV-TP-HE	IS	2										
	DB-332N-MV-TP-HE	IS	3										
Watran	DB-432N-MV-TP-HE	IS	4										
	DB-432L-MV-TP-HE	IS	4										
	DB-232N-MV-TP-HE SC	IS	2										
WORK HORSE	WHSG3-UNV-T8-IS	IS	3										
WUNK HUKSE	WHSG4-UNV-T8-IS	IS	4										

#### Other brands: 347/480 V - Compatible with all T8 SKUS (69295 - 69314)

	Ballast Description			1 La	amp	2 Lamps		3 Lamps		4 Lamps	
Dunad	Oudencede	Starting	Number				Input \	oltage			
Brand	Order code	Method	of lamps	347 V	480 V	347V	480 V	347 V	480 V	347 V	480 V
General Electric	GE432MAX347-N	IS	4								
OSRAM	QHE 2x32T8/347 PSN-SC	PRS	2								
OSRAM SYLVANIA	QT 2x32/347 ISH-SC	IS	2								
SYLVANIA	QT 4X32/347LP	IS	4								
Universal Lighting Technologies	B432I347HE-A	IS	4								

#### Dimming ballast - Compatible with all T8 SKUS (69295 - 69314)

	Ballast Description						Dimming depth		
Drond	Ordovanda	Starting	Number	В	-	Lamp Connection		5 P	
Brand	Order code	Method	of lamps	Type	Value		N-1Lamp	NLamp	
General Electric	GE132MVPSN-V03	DPS	1	N	0.88	N/A	/	14 %	
KEYSTONE	KTLD-2T8LED-UV-IS-VDIM	DPS	2	N	1.18	N/A	16.40 %	16.10 %	

#### **Emergency ballast - Compatible with all T8 SKUS (69295 - 69314)**

No	Ballast No.	Ballast Brand	Part Number	Start Method	# of Lamps	N-Lamp
1	402	EXITRONIX	XEB-7-B-LM	AC	1	
2	416	KEYSTONE	KT-EMRG-1300-T5	AC	1	
3	419	BODINE	B50	AC	2	Can work with these
4	420	ESPEN	VEM500DV(L)	AC	1	Emergency Ballast
5	422	ESPEN	VEM1300DV(L)	AC	1	
6	424	TAMLITE	BAL1400LPACTD	AC	1	

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A



### **T5 TYPE A SERIES 5**

Order code	Description
69315	T5/S3/25W/840/46/STD/SMX
69316	T5/S3/25W/850/46/STD/SMX
69317	T5/S3/25W/865/46/STD/SMX

#### Standard: 120/277 V

	Ballast Description					1 Lamp 2 Lamps 3 Lamps 4 Lamps					mps	Ballast
Drond	Order code	Starting Number					Input \	/oltage				version
Brand	order code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Standard	63025-E254T5H0PS120-277/N/XTRM	PS	2									
Stanuaru	63027-E454T5H0PS120-277/N/XTRM	PS	4									

#### Standard: 347/480 V

	Ballast Description					1 Lamp 2 Lamps 3 Lamps 4 Lamps					mps	Ballast		
Brand	Order code	Starting	Starting Number		Number Input Voltage									version
Diallu	Order code	Method	of lamps	347 V	480 V	347 V	480 V	347 V	480 V	347 V	480 V			
Chandand	63026-E254T5H0PS347/N/XTRM	PS	2											
Standard	63028-E454T5H0PS347/N/XTRM	PS	4											



Other brands: 120/277 V (1/2)

	Ballast Description			1 La	amp	2 La	ımps	3 La	ımps	4 La	ımps	
Brand	Order code	Start- ing Meth-	Number of lamps	120 V	277 V	120 V	Input \ 277 V	/oltage 120 V	277 V	120 V	277 V	Ballast version
		od										
EIKO	PM-4X54T5 UNV PS	PS	4									
	PM-2X54T5 UNV PS	PS	2									
	VE254MVHRP	PS PS	2									
ESPEN	VE254MVHRP(11101) VE454MVHRP(11100)	PS	4									
	VE454MVHRP(11047)	PS	4									
		PS	2									
Fulham	RHA-UNV-254-LT5 RHA-UNV-454-LT5	PS	4									
	GE454MVPS90-F	PS	4									
	GE254MVPS90-A	PS	2									
General Electric	GE454MVPS90-E-S	PS	4									
	GE254MVPS-D-1	PS	2									
	GE254PS347/480-F	PS	2									
	GE454PS347/480-E	PS	4									
	EP2/54H0/PRS/MV/W/MC	PRS	2									
HOWARD	EP2/54H0/PRS/MV/W/SC	PRS	2									
INDUSTRIES	EP4/54H0/PRS/MV	PRS	4									
	KTEB-254H0-UV-TP-PS	PS	2									
KEYSTONE	KTEB-254H0-UV-PS-SL	PS	2									
KLISTONL	KTEB-454H0-UV-PS	PS	4									
LumaPro	4KGE7A EB-454PRS-U	PS	4									
MAXLITE	SKEU542HOP	PS	2									
WAALITE	QTP 4x54T5H0/UNV PSN HT W	PRS	4									
OSRAM	QHE 1x54T5H0/UNV DIM-TC	PRS	1									
OUTAM	QTP 2x54T5H0/UNV PSN HT	PRS	2									
	QHE 2x54T5H0/UNV PSN	PRS	2									
	QTP 4x54T5H0/UNV PSN HT W	PRS	4									
	QHE 2x54T5H0/UNV PSN HT	PRS	2									
OSRAM	QTP 2x54T5H0/UNV PSN	PRS	2									
SYLVANIA	QTP 1x54T5H0/UNV PSN	PRS	1									
	QHE 4x54T5H0/UNV PSN HT SCL[DOE]	PRS	4									
	QS 2x54T5H0/UNV PS80-SC	PRS	2									
	ICN-2S54-90C-N	PS	2									
	ICN-2S54-90C-T	PS	2									
	ICN-4S54-90C-2LS-G	PS	4									
Philips-Advance	ICN-2S54-T	PS	2									
	ICN-2S54-N	PS	2									
	ICRP-4PSP54-90C	PS	4									
	HCRP-4PSP54-90C	PS	4									
	BAF254PS/MV	PS	2									
PLUSRITE	BAF454PS/MV	PS	4									

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatibile lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/.



Other brands: 120/277 V (2/2)

	Ballast Description			1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast
Duand	Oudou oo do	Starting	Number				Input \	/oltage				version
Brand	Order code	Method	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
	PST154T5MVW	PS	1									
Robertson	PSL254T5MV	PS	2									
	PSY454T5MVEL(3P20147)	PS	4									
SUNPARK	U-2/54T5H0	PS	2									
TCP	E2P54PRSUNVE	PS	2									
Ultrasave	ER254120MHT-W	PS	2									
Ultrasave	ER454120MHT-W	PS	4									
Watran	DB-254HO-MV-TP-PS-SL	PS	2									
watran	DB-4M54-PS-MV-90	PS	4									

Other brands: 347/480 V

	Ballast Description			1 La	amp	2 Lamps		3 Lamps		4 Lamps		Ballast
Duand	Brand Order code Sta		Number	Input Voltage								
Brand	Urder code	Method	of lamps	347 V	480 V	347 V	480 V	347 V	480 V	347 V	480 V	
OSRAM	QHE 4x54T5H0/347-480 PSN HT SCL	PRS	4									
OSRAM	QTP 2x54T5H0/347-480 PSN HT	PRS	2									
SYLVANIA	QHE 2x54T5H0/347-480 PSN HT MCL	PRS	2									
Philips-	HCN-2S54-90C-WL	PS	2									
Advance	HCN-4S54-90C-2LS-G	PS	4									
Ultrasave	ER454347HT-W	PS	4									

#### DIMMING BALLAST COMPATIBLE WITH ALL T5 SKUS (69315 - 69317)

	Ballast Description						Dimming depth		
Brand	Order code	Starting	Number			Lamp Connection			
Drailu	Order code	Method	of lamps	Туре	Value		N-1Lamp	NLamp	
Philips-Advance	REZ-154	PS	1			N/A	/	16 %	

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, never ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpor recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A



### **LED T8 SERIES 3**

Order code	Description
64662	LED/T8/S3/9W/840/24/STD
64663	LED/T8/S3/13W/840/36/STD
64664	LED/T8/S3/15W/835/48/STD
64665	LED/T8/S3/15W/840/48/STD
64666	LED/T8/S3/15W/850/48/STD
64667	LED/T8/S3/18W/835/48/STD
64668	LED/T8/S3/18W/840/48/STD
64669	LED/T8/S3/18W/850/48/STD
64815	LED/T8/S3/9W/830/24/STD/SMX
64816	LED/T8/S3/9W/835/24/STD/SMX
64832	LED/T8/S3/9W/840/24/STD/SMX
64817	LED/T8/S3/13W/830/36/STD/SMX
64818	LED/T8/S3/13W/835/36/STD/SMX
64833	LED/T8/S3/13W/840/36/STD/SMX
64837	LED/T8/S3/18W/830/48/STD/SMX
64838	LED/T8/S3/18W/835/48/STD/SMX
64820	LED/T8/S3/18W/840/48/STD/SMX
64821	LED/T8/S3/18W/850/48/STD/SMX

### **LED T8 METRIC**

Order code	Description
65049	LED/T8/15W/835/46/METRIC/STD
65050	LED/T8/15W/840/46/METRIC/STD

### **LED T8 SERIES 4**

Order code	Description
66801	LED/T8/S4/9W/835/24/STD
65473	LED/T8/S4/9W/840/24/STD
67000	LED/T8/S4/11W/840/36/STD
65474	LED/T8/S4/13W/835/48/STD
65475	LED/T8/S4/13W/840/48/STD
65476	LED/T8/S4/13W/850/48/STD
65477	LED/T8/S4/15W/835/48/STD
65478	LED/T8/S4/15W/840/48/STD
65479	LED/T8/S4/15W/850/48/STD
65504	LED/T8/S4/9W/830/24/STD/SMX
65505	LED/T8/S4/9W/835/24/STD/SMX
65506	LED/T8/S4/9W/840/24/STD/SMX
67001	LED/T8/S4/11W/835/36/STD/SMX
67002	LED/T8/S4/11W/840/36/STD/SMX
65507	LED/T8/S4/13W/830/48/STD/SMX
65508	LED/T8/S4/13W/835/48/STD/SMX
65509	LED/T8/S4/13W/840/48/STD/SMX
65510	LED/T8/S4/13W/850/48/STD/SMX
65511	LED/T8/S4/15W/830/48/STD/SMX
65512	LED/T8/S4/15W/835/48/STD/SMX
65513	LED/T8/S4/15W/840/48/STD/SMX
66265	T8H0/S4/15W/840/48/STD
65514	LED/T8/S4/15W/850/48/STD/SMX



#### 120-277 V (1/3)

	Ballast Description			1 La	amp	2 La	ımps	3 La	ımps	4 La	ımps	Ballast
		Number	Starting				Input \	/oltage				version
Brand	Order code	of lamps	Method	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Arasta	ACT2P32ISUNV	2	IS									/
Arcata	ACT4P32ISUNV	4	IS									/
	ICN-1P32-N	1	IS									/
	IOPA-1P32-N	1	IS									REV B
	IOPA-1P32-LW-N	1	IS									REV A
	ICN-2P32-N	2	IS									REV C/E
	ICN-2P32-SC	2	IS									/
	ICN-2S40-N	2	RS									/
	IOPA-2P32-N	2	IS									REV A
	IOPA-2P32-LW-N	2	IS									REV B
Advance	RCN-2S32-SC	2	PS									REV D
	REL-2P32-SC	2	IS									/
	RELB-2S40-N	2	RS									/
	REZ-2S32-SC	2	PS									REV E
	ICN-3P32-N	3	IS									REV C
	ICN-4P32-N	4	IS									/
	ICN-4P32-SC	4	IS									REV D
	REL-4P32-RH-TP	4	IS									/
	GOPA-2P32-LW-N35M	4	IS									/
	VE232MVHIP	2	IS									/
	VE232MVHIPE	2	IS									/
	VE232MVHIPHE	2	IS									/
ESPEN	VE232MVHIPLE	2	IS									/
	VE432MVHIP	4	IS									/
	VE432MVHIPE	4	IS									/
	VE432MVHIPHE	4	IS									/
	NPY-120-232-LT8	2	PS									/
	NPY-120-432-T8B	4	IS									/
	NPY-120-432-T8-IS	4	IS									/
Fulham	WHCG3-120-T8-IS	3	IS									/
	WHCG5-120-T12-RS	2	RS									/
	WH2-120-L	1	IS									/
	WH5-120-L	4	IS									/
	FB232MVE	2	IS									/
	FB232MVE-HE	2	IS									/
	FB232MVE-LHE	2	IS									/
Fusion	FB232MVE-PPS-HE	2	PS									/
- Tusion	FB332MVE	3	IS									/
	FB432MVE	4	IS									/
	FB432MVE-HE	4	IS									/
	FB432MVE-PPS-HE	4	PS									/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



#### 120-277 V (2/3)

	Ballast Description	1		1 La	amp	2 La	ımps	3 La	mps	4 La	ımps	5
		Num-	Starting				Input \	/oltage				Ballast version
Brand	Order code	ber of lamps	Method	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	version
	GE132MAXP-N/ULTRA	1	IS									/
	GE 232-120RES-DIYB	2	IS									/
	GE 232-120-PS-N	2	PS									/
	GE232MAX-G-N	2	IS									/
	GE232MAXP-L/ULTRA	2	IS									/
	GE232MAX-N/ULTRA	2	IS									/
	GE232MAXP-H/ULTRA	2	IS									/
GE	GE232-MV-N	2	IS									/
GE	GE232-MVPS-L	2	PS									/
	GE232-MVPS-L	2	PS									/
	GE-232-MVPS-H	2	PS									/
	GE332MAX-L/ULTRA	3	IS									/
	GE332MAX90-V60	3	IS									/
	GE332MV-N-DIY	3	IS									/
	GE432MAX-H/ULTRA	4	IS									/
	GE432MAX-H-42T	4	IS									/
0 11311	GH2P59ISUNV	2	IS									/
Green Hill	GH4P32ISUNV	4	IS									/
	EP232IS/H/MV/HE	2	IS									/
	EP332IS/L/MV/HE	3	IS									/
Halco	EP332IS/MV/MC	3	IS									/
	EP432IS/L/MV/HE	4	IS									/
	EP432IS/MV/MC	4	IS									/
Howard	EP4/32IS/MV/MC/HE	4	IS									/
	ENI-T8-32-P2SC-N	2	IS									/
Huafeng	ENI-T8-32-P4MC-N	4	IS									/
	KTEB-232-UV-IS-N-P	2	IS									/
Keystone	KTEB-332-UV-IS-N-P	3	IS									/
	KTEB-432-UV-IS-N-P	4	IS									/
	QHE 2x32T8/UNV DIM-TC	2	PS									/
	QHE 2x32T8/UNV ISL SC	2	IS									/
0-	QTP 2x32T8/UNV ISN-SC	2	IS									/
Osram	QTP 3x32T8/UNV PSX-SC	3	PS									/
	QHE 4x32T8/UNV PSN-SC	4	PS									/
	QTP 4x32T8/UNV ISN-SC	4	IS									/
Doelfie	EB-332IS-U	3	IS									/
Pacific	EB-432IS-U	4	IS									/
D .	BB-T8/UVH-2x32	2	IS									/
Premium	BB-T8/UVH-3x32	3	IS									/
Robertson	RSW240T12120	2	RS									/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



compatible

non-compatible

#### 120-277 V (3/3)

	Ballast Description			1 La	amp	2 La	mps	3 La	ımps	4 La	ımps	Ballast
		Num-	Starting	Input Voltage								
Brand	Order code	ber of lamps	Method	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	version
	61128 - E232T8IS120-277/N/AS	2	IS									/
	61130 - E232T8IS120-277/N/AS/BULK	2	IS									/
	61123 - E232T8IS120/L/AS	2	IS									/
	61126 - E232T8IS120/L/AS/BULK	2	IS									/
	61113 - E232T8IS120/N/AS	2	IS									/
STANDARD	61124 - E232T8IS120/N/AS/BULK	2	IS									/
	59770 - E432T8IS120/H/90C	4	IS									/
	61120 - E432T8IS120/L/AS	4	IS									/
	61127 - E432T8IS120/L/AS/BULK	4	IS									/
	61114 - E432T8IS120/N/AS	4	IS									/
	61125 - E432T8IS120/N/AS/BULK	4	IS									/
Sunpark	SL15T	2	RS									/
Ultrasave	ER254120MHT-W	2	PS									/
Ultrasave	ER454120MHT-W	4	PS									/
	B232PUSV3PLA	2	PS									REV A
	B232SR120S30	2	PS									REV E
Universal	B232IUNVHP-N	2	IS									REV B
	B332IUNVHP-A	3	IS									REV B
	B432IUNVHP-A	4	IS									REV B

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



N/A

non-compatible

compatible

#### 347 V

	Ballast Description			1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast
Dunad	0	Number	Starting		Input V	oltage		version
Brand	Order code	of lamps	Method		347	7 V		
Arcata	ACT2P32IS347	2	IS					/
AlGala	ACT4P32IS347	4	IS					/
	GOPA-2P32-LW-SC	2	IS					REV D
Advance	GOPA-4P32-LW-SC	4	IS					REV D
	GOPA-4P32-SC	4	IS					REV D
	FB232347E-HE	2	IS					/
	FB232347E-L	2	IS					/
Fueles	FB232347E-PPS-HE	2	PS					/
Fusion	FB432347E-HE	4	IS					/
	FB432347E-L	4	IS					/
	FB432347E-PPS-HE	4	PS					/
	GE232MAX347-H	2	IS					/
GE	GE332MAX347-H	3	IS					/
	GE432MAX347-H	4	IS					/
0	QHE 2x32 T8/347 ISL-SC	2	IS					/
Osram	QHE 2x32 T8/347 ISN-SC	2	IS					/
	60076 - E232T8IS347/H/90C	2	IS					/
	58278 - E232T8IS347/L/BULK	2	IS					/
	66152 -E232T8IS/MIC/347/L/AS/BULK	2	IS					
	10293 - E232T8IS347/N	2	IS					
OTANDADD	66150 - E232T8IS/MIC/347/N/AS	2	IS					
STANDARD	31549 - E232T8IS347/N/BULK	2	IS					/
	66151 - E232T8IS/MIC/347/N/AS/BULK	2	IS					/
	31036 - E432T8IS347/L	4	IS					/
	56603 - E432T8IS347/L/BULK	4	IS					/
	59771 - E432T8IS347/H/90C	4	IS					/
Ultrasave	MR232347	2						/
	B232I347HE-A	2	IS					/
Universal	B432I347HE-A	4	IS					/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

 $To \ validate \ compatibility \ with \ ballasts \ that \ are \ not \ on \ this \ list, \ please \ contact \ your \ sales \ representative$ 



#### **LED T5HE**

Order code	Description
66992	T5/13W/835/46/STD
66993	T5/13W/840/46/STD
66994	T5/13W/850/46/STD
66992 66993	T5/13W/835/46/STD T5/13W/840/46/STD

#### 120-277 V

	Ballast Description		1 La	amp	2 La	mps	Ballast
Brand	Order code	Number		Input \	oltage	version	
Dianu	Order code	of lamps	120 V	277 V	120 V	277 V	
Keystone	KTEB-228HE-UV-PS-SL	2					/
	ICN-2S28	2					REV D
Advance	ICN-2S28-T	2					REV B
	ICN-2S28-N	2					REV B
Fulham	RHA-UNV-228-LT5	2					/
GE	GE228MVPS-A	2					/
HEP	SD214-35 UNI	2					/
Osram	QHE 2x28T5/UNV PSN	2					/
USTAIII	QS 2x28T5/UNV PS95-SC	2					/
Robertson	PSA228T5MV	2					/
Standard	60105 - E228T5PS120-277/N/BULK	2					/
	B228PUNV-C	2					REV A
Universal	B228PUNV-N	2					REV C
	B228PU95S50D	2					REV D

#### 347 V

	Ballast Description		1 Lamp	2 Lamps	Ballast	
Drond	Ordor ando	Number	Input \	/oltage	version	
Brand	Order code	of lamps 347 V 347 V	347 V	VOLOIOII		
Standard	60102 - E228T5PS347/N/BULK	2			/	
Stallualu	10461 - E235T5PS347/N	2			/	

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



### **LED T5H0**

#### **LED T5HO SERIES 2**

Order code	Description	Order code	Description
64463	LED/T5/27W/840/46/ND/STD/SMX	65480	LED/T5/S2/25.5W/840/46/STD/SMX
64464	LED/T5/27W/850/46/ND/STD/SMX	65481	LED/T5/S2/25.5W/850/46/STD/SMX
64465	LED/T5/27W/865/46/ND/STD/SMX	65482	LED/T5/S2/25.5W/865/46/STD/SMX

#### 120-277 V (1/2)

	Ballast Description		1 La	amp	2 La	mps	3 La	mps	4 La	amps	- Ballast
Brand	Order code	Number				Input \	/oltage				version
Dianu	Order code	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
AC	AC-A2/54T5XS-W	2									/
	EL1/254A26	2									/
	HCN-4S54-2LS-H	2									/
	ICN-2S54	2									REV B
	ICN-2S54-N	2									/
	ICN-2S54-T	2									REV B
Advance	ICN-2S54-90C-N	2									REV B
	IOP-2PSP54-SC	2									REV E
	IZT-2S54-D	2									REV C
	ICN-4S54-90C-2LS-G	4									REV A/B
	ICN-4S54-2LS-H	4									REV C
	IOP-4PSP54-2LS-G	4									REV H
Damar	26947A	2									/
Espen	VE454MVHRP	4									/
	RHA-UNV-254-LT5	2									/
Fulham	RHA-UNV-454-LT5	4									/
	WH5-120-L	2									/
Fredrica	FB254T5MVE	2									/
Fusion	FB454T5MVE	4									/
	GE254MVPS-D	2									/
0.5	GE254MVPS-D-1	2									/
GE	GE254MVPS90-A	2									/
	GE454MVPS90-F	4									/
	EP254H0/PS/MV/MC	2									/
Halco	EP454H0/PS/MV	4									/
	SI 254-58 UNI	2									/
HEP	SD 254-58 UNI	2									/
	ENP-T5-54-S2MC	2									/
Huafeng	ENP-T5-54-S4LC	4									/
	KTEB-254HO-UV-PS/A	2									/
Keystone	KTEB-254H0-UV-PS-SL	2									Version D2
	KTEB-454H0-UV-PS	4									Version D3

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



#### 120-277 V (2/2)

	Ballast Description		1 La	amp	2 La	ımps	3 La	mps	4 La	amps	Ballast	
Dunud	Oudencede	Number		Input Voltage								
Brand	Order code	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	version	
Liyuan	LYEB5812	2									/	
Luma	BLF254-U	2									/	
Maxlite	SKEU542H0P/SC	2									/	
	QHE 2x54T5H0/UNV PSN	2									/	
	QT 2x54/120PHO-DIM	2									/	
	QTP 2x54T5H0/UNV PSN	2									/	
0	QTP 2x54T5H0/UNV PSN HT	2									/	
Osram	QTP 2x54T5H0/UNV PSN 80-SC	2									/	
	QHE 4x54T5H0/UNV PSN HT SCL	4									/	
	QHE 4x54T5HO/UNV PSN HTL[DOE]	4									/	
	QTP 4x54T5H0/UNV PSN HT W	4									/	
Pacific	EB-254PRS-U	2									/	
	PSL 254T5MV	2									/	
Roberson	PSB454T5MV	4									/	
Sunpark	U-2/54T5H0	2									/	
	SLFE-254 T5H0-120MV-90C	2									/	
Symban	SLFE-454 T5H0-120MV-90C	4									/	
	57641 - E154T5PS120-277/N/H0	1									/	
STANDARD	63025 - E245T5H0PS120-277/N/XTRM	2									/	
	63027 - E454T5H0PS120-277/N/XTRM	4									/	
Ultrasave	ER254120MHT-W	2									/	
	B254PUNV-D	2									REV C	
Hairran	B254PUNVHB-D	2									REV A	
Universal	B454PUNV-E	4									REV D	
	B454PUNVHB-E	4									REV D	

compatible

non-compatible

N/A

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



N/A

non-compatible

compatible

#### 347 V

	Ballast Description		1 Lamp	2 Lamps	3 Lamps	4 Lamps	- Ballast
		Number		Input \	/oltage		version
Brand	Order code	of lamps		34	7 V		
	HCN-2S54-90C-WL	2					REV C
Advance	HCN-4S54-2LS-H	4					REV C
	HCN-4S54-90C-2LS-G	4					REV A
Fusion	FB232347E-HE	2					/
Osram	QHE 2x54T5H0/347-480PSN HT	2					/
USTAIII	QHE 4x54T5H0/347-480PSN HT SCL	4					/
Cumbon	SLFE-254 T5H0-347V-90C	2					/
Symban	SLFE-454 T5H0-347V-90C	2					/
STANDARD	63026 - E254T5H0PS347/N/XTRM	2					/
STANDARD	63028 - E454T5H0PS347/N/XTRM	4					/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpor recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



### LED T8 U1

 Order code
 Description

 66985
 T8/S2/15W/840/48/U1/ND/STD

#### 120-277/347 V (1/5)

	Ballast Descrip	tion			1 Lamp			2 Lamps	3	;	3 Lamps	3		4 Lamps	3
Brand	Order code	Number of lamps	Starting Method	120 V	077.1/	305 V	100 V	077.1/	Input \		077.1/	205.1/	100 V	077.1/	20E V
	DM OVOOTO HANVIO			120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	PM-2X32T8-UNV-IS-L	2	IS												
	PM-3X32T8-UNV-IS	3	IS												
	PM-3X32T8-UNV-IS-H	3	IS												
="1	PM-3X32T8-UNV-IS-L	3	IS												
Eiko	PM-4X32T8-UNV-IS	4	IS												
	PM-4X32T8-UNV-IS-L	4	IS												
	PM-2X32T8-UNV-IS	2	IS												
	PM-3X32T8-UNV-PS	3	PS												
	PM-3X32T8-UNV-PS-H VE232MVHIPE	3	PS												
	VE232MVHIPHE VE232MVHIPHE	2	IS IS												
			IS												
	VE232MVHIPLE	2													
	VE232MVHRPHT3-AB EPH4/32IS/MV/SC/HE	2	PS												
	EP3/32IS/MV/SC/HE		IS												
	EP3/32IS/MV/SG/HE EPL4/32IS/MV/MC/HE	3 4	IS IS												
Espen	EPH2/321S/MV/MC/HE		IS												
		2	IS												
	E2/32IS-120MC EPL2/32IS/MV/MC/HE	2	IS												
	EPL3/32IS/MV/SC/HE	3	IS												
	EP4/32IS/MV/MC/HE	4	IS												
	EP2/32IS/MV/MC/HE	2	IS												
	EP3/32IS/MV/MC/HE	3	IS												
	GE-232-MV-N	2	IS												
	GE232MAX-N/ULTRA	2	IS												
	GE432MAX-H/ULTRA	4	IS												
	GE432MAX-L/ULTRA	4	IS												
	GE-232-MAX-H/Ultra	2	IS												
	GE432MAX-G-N	4	IS												
GE	GE132MAX-G-N	1	IS												
	GE132MAX-H/ULTRA	1	IS												
	GE132MAX-L/ULTRA	1	IS												
	GE132MAXP-N/ULTRA	1	IS												
	GE232MV-N-DIY	2	IS												
	GE232-120-RES	2	IS												
	GE232MAX-L/ULTRA														
	GE232MAX-L/ULTRA	2	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



#### 120-277/347 V (2/5)

	Ballast Description	on			1 Lamp		;	2 Lamps	3		3 Lamps	3		4 Lamps	3
Brand	Order code	Number of lamps	Starting Method	400 V	077.1/	005.1/	400 V	077.1/		/oltage	077.1/	005.1/	400 1/	077.1/	005.1/
	OF COOM V N			120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	GE332MV-N GE332MAX-N/ULTRA	3	IS IS												
		3	IS												
	GE332MAX-L/ULTRA GE332MAX-G-N	3	IS												
	GE332MAXP-H/ULTRA	3	IS												
GE	GE432-120-RES GE432MV-N-42T	4	IS IS												
GE															
	GE432MAX-N/ULTRA	4	IS												
	GE232-MVPS-N	2	PS												
	GE-332-MVPS-N	3	PS												
	GE432-MVPS-N	4	PS												
	GE-232-MV-PS-N FB432MVE-PPS-HE	2	PS												
		4	PS												
	EP232IS/L/MV/SL	2	IS												
	E432IS/120/R/SL	4	IS												
Halco	EP232IS/MV/HE	2	IS												
	EP332IS/MV/HE	3	IS												
	EP432IS/MV/HE	4	IS												
	EP432IS/L/MV/HE	4	IS												
	KTEB-232-UV-IS-N-P	2	IS												
	KTEB-432RIS-1-TP-SL	4	IS												
Keystone	KTEB-332-UV-IS-N-P	3	IS												
	KTEB-432-UV-IS-N-P	4	IS												
	KTEB-2C72-1-TP	1	PS												
LumaPro	4KGH1 EB-432IS-120	4	IS												
	SKEU322HEL/SC	2	IS												
	SKEU324HE/SC	4	IS												
Maxlite	SKEU323L/SC	3	IS												
Waxiito	MLEU322HEL/SC	2	IS												
	MLEU323H/SC	3	IS												
	MLEU324HE/SC	4	IS												
	QTP 2X32T8/UNV ISN-SC	2	IS												
	QHE 2X32T8/UNV ISN-SC	2	IS												
	QHE 2X32T8/UNV ISL-SC	2	IS												
Osram	QHE 3X32T8/UNV ISH-SC	3	IS												
— Osi alli	QHE 4X32T8/UNV ISN-SC	4	IS												
	QHE 4X32T8/UNV ISL-SC	4	IS												
	QTP 4×32T8/UNV ISN-SC	4	IS												
	QHE 1X32T8/UNV ISN-SC	1	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatibile lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



#### 120-277/347 V (3/5)

	Ballast Description	n			1 Lamp			2 Lamps	3	;	3 Lamps	3		4 Lamps	3
Drond	Order code	Number	Starting						Input \	oltage/					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	QHE 1X32T8/UNV ISN-SC	1	IS												
	QHE 1X32T8/UNV ISL-SC	1	IS												
	QTP 1X32T8/UNV ISN-SC	1	IS												
	QHE 2X32T8/UNV ISH-SC	2	IS												
	QTP 3X32T8/UNV ISN-SC	3	IS												
	QHE 3X32T8/UNV ISN-SC	3	IS												
	QHE 3X32T8/UNV ISL-SC	3	IS												
0sram	QHE 4X32T8/UNV PSX-SC	4	PRS												
	QHE 2X32T8/UNV PSH-HT	2	PRS												
	QHE 2X32T8/UNV PSN-MC	2	PRS												
	QHE 3X32T8/UNV PSN-SC	3	PRS												
	QTP 3X32T8/UNV PSX-SC	3	PRS												
	QTP3X32T8/UNV PSN-SC	3	PRS												
	QHE 4X32T8/UNV PSN-SC	4	PRS												
	QHE 2X32T8/UNV DIM-TC	2	PRS												
DEC	PES120ET8-12SMT-4	4	IS												
PES	PES120DET8-12SMT	2	PS												
	ICN-2P32-N	2	IS												
	IOPA-2P32-N	2	IS												
	IOP-2P32-N	2	IS												
	IOP-2P32-LW-N	2	IS												
	IOPA-3P32-LW-N	3	IS												
	IOPA-4P32-N	4	IS												
	IOPA-4P32-HL-SC	4	IS												
	IOP-4P32-N	4	IS												
	IOP-4P32-LW-N	4	IS												
Advance	ICN-4P32-N	4	IS												
Advance	IOP-1P32-N	1	IS												
	ICN-1P32-N	1	IS												
	IOPA-1P32-N	1	IS												
	IOPA-2P32HL-SC	2	IS												
	IOPA-3P32-N	3	IS												
	IOP-3P32-N	3	IS												
	REB-4P32-SC	4	IS												
	IOP-4P32-HL-SC	4	IS												
	ICN-4P32-SC	4	IS												
	ICN-3P32-N	3	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



#### 120-277/347 V (4/5)

	Ballast Description	on			1 Lamp		:	2 Lamps	3		3 Lamps	3		4 Lamps	3
D I	0.1	Number	Starting						Input \	/oltage					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	IOP-2PSP32-N	2	PS												
	IOP-3PSP32-SC	3	PS												
	IOP-3PSP32-LW-SC	3	PS												
	IOP-4PSP32-SC	4	PS												
Advance	IOP-4PSP32-LW-SC	4	PS												
	IOP-2S32-SC	2	PS												
	IZT-2S32-SC	2	DPS												
	IOP-2PSP32-LW-N	2	PS												
	IZT-2PSP32-SC	2	DPS												
Plusrite	BAF232IS/MV	2	IS												
Plusfile	BAF332IS/MV	3	IS												
Dobortoon	ISU232T8120 3P20116	2	IS												
Robertson	RSZ132T8120	1	PS												
Sola	E-758-F-232-SC	2	IS												
50Ia	E-758-U-232-MC	2	IS												
	120-1/32IS HPF	1	IS												
	U-2/32IS HBF	2	IS												
	U-2/32ISE-LBF	2	IS												
	U-3/32ISE	3	IS												
	U-3/32ISE-HBF	3	IS												
	120-3/32IS MP,F	3	IS												
	U-4/32IS HP,F	4	IS												
	U-4/32IS HBF	4	IS												
Sunpark	U-4/32ISE-LBF	4	IS												
	U-1/32PSE	1	PS												
	U-2/32PSE	2	RS												
	U-2/32PSE-HBF	2	RS												
	U-232PS3	2	RS												
	U-232PS3-HBF	2	RS												
	SL15T	2	RS												
	LC 12011T	1	PS												
	LC 12013T	1	PS												
Cuparian	70201	2	IS												
Superior Life	70210	2	PS												
	70211	4	PS												
	E2P32ISUNVHE	2	IS												
TCP	E4P32ISUNVLE	4	IS												
	E3P32ISUNVE	3	IS												
	E3P32ISUNVLE	3	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



non-compatible

compatible

N/A

#### 120-277/347 V (5/5)

	Ballast Descript	ion			1 Lamp		:	2 Lamps	;	;	3 Lamps	3		4 Lamps	3
Duand	Oudou oodo	Number	Starting						Input V	oltage					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
ТСР	E4P32ISUNVE	4	IS												
168	E4P32ISUNVHE	4	IS												
	B232IUNVHP-N	2	IS												
	B232IUNVEL-A	2	IS												
	B233IUNVHE-A	2	IS												
	B432IUNVHE L-A	4	IS												
	B232IUNVHEH-A	2	IS												
	B332IUNVHP-A	3	IS												
Universal	B432IUNVHP-A	4	IS												
	B232I120RES-A	2	IS												
	B432I120RES-A	4	IS												
	B132IUNVHP-N	1	IS												
	B432PUNVHE-A	4	PS												
	B232PUNVHE-B	2	PS												
	B332PUNVHE-A	3	PS												
Watran	DBG32N-MV-TP-PS-HL	4	PS												
	WHCG4-120-T8-IS	4	IS												
Work Horse	WHSG3-UNV-T8-IS	3	IS												
	WHSG4-UNV-T8-IS	4	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



### **LED T8 U6**

Order code	Description
66986	T8/S2/11.5W/835/48/U6/ND/STD
66987	T8/S2/11.5W/840/48/U6/ND/STD
66988	T8/S2/15W/840/48/U6/ND/STD

#### 120-277/347 V (1/5)

	Ballast Descript	ion			1 Lamp			2 Lamps	5		3 Lamps	8		4 Lamps	5
Dunas	Oudencede	Number	Starting						Input \	oltage/					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	PM-3X32T8-UNV-IS	3	IS												
	PM-3X32T8-UNV-IS-H	3	IS												
	PM-3X32T8-UNV-IS-L	3	IS												
Eiko	PM-4X32T8-UNV-IS	4	IS												
EIKU	PM-4X32T8-UNV-IS-L	4	IS												
	PM-2X32T8-UNV-IS	2	IS												
	PM-3X32T8-UNV-PS	3	PS												
	PM-3X32T8-UNV-PS-H	3	PS												
	VE232MVHIPE	2	IS												
Fonon	VE232MVHIPHE	2	IS												
Espen	VE232MVHIPLE	2	IS												
	VE232MVHRPHT3-AB	2	PS												
	GE-232-MV-N	2	IS												
	GE232MAX-N/ULTRA	2	IS												
	GE432MAX-H/ULTRA	4	IS												
	GE432MAX-L/ULTRA	4	IS												
	GE-232-MAX-H/Ultra	2	IS												
	GE432MAX-G-N	4	IS												
	GE132MAX-G-N	1	IS												
	GE132MAX-H/ULTRA	1	IS												
	GE132MAX-L/ULTRA	1	IS												
	GE132MAXP-N/ULTRA	1	IS												
GE	GE232MV-N-DIY	2	IS												
GE	GE232-120-RES	2	IS												
	GE232MAX-L/ULTRA	2	IS												
	GE332MV-N	3	IS												
	GE332MAX-N/ULTRA	3	IS												
	GE332MAX-L/ULTRA	3	IS												
	GE332MAX-G-N	3	IS												
	GE332MAXP-H/ULTRA	3	IS												
	GE432-120-RES	4	IS												
	GE432MV-N-42T	4	IS												
	GE432MAX-N/ULTRA	4	IS												
	GE232-MVPS-N	2	PS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/



#### 120-277/347 V (2/5)

	Ballast Descripti	on			1 Lamp		:	2 Lamps	<b>;</b>		3 Lamps	3		4 Lamps	3
Duond	Oudou oodo	Number	Starting						Input \	oltage/					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	GE-332-MVPS-N	3	PS												
GE	GE432-MVPS-N	4	PS												
	GE-232-MV-PS-N	2	PS												
	EP232IS/L/MV/SL	2	IS												
	E432IS/120/R/SL	4	IS												
Halco	EP232IS/MV/HE	2	IS												
паксо	EP332IS/MV/HE	3	IS												
	EP432IS/MV/HE	4	IS												
	EP432IS/L/MV/HE	4	IS												
	EPH4/32IS/MV/SC/HE	4	IS												
	EP3/32IS/MV/SC/HE	3	IS												
	EPL4/32IS/MV/MC/HE	4	IS												
	EPH2/321S/MV/MC/HE	2	IS												
Howard	E2/32IS-120MC	2	IS												
помаги	EPL2/32IS/MV/MC/HE	2	IS												
	EPL3/32IS/MV/SC/HE	3	IS												
	EP4/32IS/MV/MC/HE	4	IS												
	EP2/32IS/MV/MC/HE	2	IS												
	EP3/32IS/MV/MC/HE	3	IS												
	KTEB-232-UV-IS-N-P	2	IS												
	KTEB-432RIS-1-TP-SL	4	IS												
Keystone	KTEB-332-UV-IS-N-P	3	IS												
	KTEB-432-UV-IS-N-P	4	IS												
	KTEB-2C72-1-TP	1	PS												
LumaPro	4KGH1 EB-432IS-120	4	IS												
	SKEU322HEL/SC	2	IS												
	SKEU324HE/SC	4	IS												
Maxlite	SKEU323L/SC	3	IS												
maxiito	MLEU322HEL/SC	2	IS												
	MLEU323H/SC	3	IS												
	MLEU324HE/SC	4	IS												
	QTP 2X32T8/UNV ISN-SC	2	IS												
	QHE 2X32T8/UNV ISN-SC	2	IS												
	QHE 2X32T8/UNV ISL-SC	2	IS												
Osram	QHE 3X32T8/UNV ISH-SC	3	IS												
	QHE 4X32T8/UNV ISN-SC	4	IS												
	QHE 4X32T8/UNV ISL-SC	4	IS												
	QTP 4×32T8/UNV ISN-SC	4	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/



120-277/347 V (3/5)

	Ballast Description	n			1 Lamp			2 Lamps	3		3 Lamps	<b>;</b>		4 Lamps	S
Brand	Order code	Number of lamps	Starting Method	120 V	277 V	305 V	120 V	277 V	Input \	/oltage 120 V	277 V	305 V	120 V	277 V	305 V
	QHE 1X32T8/UNV ISN-SC	1	IS												
	QHE 1X32T8/UNV ISL-SC	1	IS												
	QTP 1X32T8/UNV ISN-SC	1	IS												
	QHE 2X32T8/UNV ISH-SC	2	IS												
	QTP 3X32T8/UNV ISN-SC	3	IS												
	QHE 3X32T8/UNV ISN-SC	3	IS												
	QHE 3X32T8/UNV ISL-SC	3	IS												
0sram	QHE 4X32T8/UNV PSX-SC	4	PRS												
	QHE 2X32T8/UNV PSH-HT	2	PRS												
	QHE 2X32T8/UNV PSN-MC	2	PRS												
	QHE 3X32T8/UNV PSN-SC	3	PRS												
	QTP 3X32T8/UNV PSX-SC	3	PRS												
	QTP3X32T8/UNV PSN-SC	3	PRS												
	QHE 4X32T8/UNV PSN-SC	4	PRS												
	QHE 2X32T8/UNV DIM-TC	2	PRS												
	ICN-2P32-N	2	IS												
	IOPA-2P32-N	2	IS												
	IOP-2P32-N	2	IS												
	IOP-2P32-LW-N	2	IS												
	IOPA-3P32-LW-N	3	IS												
	IOPA-4P32-N	4	IS												
	IOPA-4P32-HL-SC	4	IS												
	IOP-4P32-N	4	IS												
	IOP-4P32-LW-N	4	IS												
	ICN-4P32-N	4	IS												
	IOP-1P32-N	1	IS												
Advense	ICN-1P32-N	1	IS												
Advance	IOPA-1P32-N	1	IS												
	IOPA-2P32HL-SC	2	IS												
	IOPA-3P32-N	3	IS												
	IOP-3P32-N	3	IS												
	REB-4P32-SC	4	IS												
	IOP-4P32-HL-SC	4	IS												
	ICN-4P32-SC	4	IS												
	ICN-3P32-N	3	IS												
	IOP-2PSP32-N	2	PS												
	IOP-3PSP32-SC	3	PS												
	IOP-3PSP32-LW-SC	3	PS												
	IOP-4PSP32-SC	4	PS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



#### 120-277/347 V (4/5)

	Ballast Descript	ion			1 Lamp			2 Lamps	3		3 Lamps	3		4 Lamps	}
Brand	Order code	Number of lamps	Starting Method	120 V	277 V	305 V	120 V	277 V	Input \	/oltage 120 V	277 V	305 V	120 V	277 V	305 V
	IOP-4PSP32-LW-SC	4	PS												
	IOP-2S32-SC	2	PS												
Advance	IZT-2S32-SC	2	DPS												
	IOP-2PSP32-LW-N	2	PS												
	IZT-2PSP32-SC	2	DPS												
	PES120ET8-12SMT-4	4	IS												
PES	PES120DET8-12SMT	2	PS												
	BAF232IS/MV	2	IS												
Plusrite	BAF332IS/MV	3	IS												
- · ·	ISU232T8120 3P20116	2	IS												
Robertson	RSZ132T8120	1	PS												
0.1	E-758-F-232-SC	2	IS												
Sola	E-758-U-232-MC	2	IS												
	120-1/32IS HPF	1	IS												
	U-2/32IS HBF	2	IS												
	U-2/32ISE-LBF	2	IS												
	U-3/32ISE	3	IS												
	U-3/32ISE-HBF	3	IS												
	120-3/32IS MP,F	3	IS												
	U-4/32IS HP,F	4	IS												
	U-4/32IS HBF	4	IS												
Sunpark	U-4/32ISE-LBF	4	IS												
	U-1/32PSE	1	PS												
	U-2/32PSE	2	RS												
	U-2/32PSE-HBF	2	RS												
	U-232PS3	2	RS												
	U-232PS3-HBF	2	RS												
	SL15T	2	RS												
	LC 12011T	1	PS												
	LC 12013T	1	PS												
	70201	2	IS												
Superior Life	70210	2	PS												
	70211	4	PS												
	E2P32ISUNVHE	2	IS												
	E4P32ISUNVLE	4	IS												
TOD	E3P32ISUNVE	3	IS												
TCP	E3P32ISUNVLE	3	IS												
	E4P32ISUNVE	4	IS												
	E4P32ISUNVHE	4	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



compatible

non-compatible

120-277/347 V (5/5)

	Ballast Descript	ion			1 Lamp		:	2 Lamps	3	;	3 Lamps	3		4 Lamps	3
Duand	0	Number	Starting						Input \	oltage					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	B232IUNVHP-N	2	IS												
	B232IUNVEL-A	2	IS												
	B233IUNVHE-A	2	IS												
	B432IUNVHE L-A	4	IS												
	B232IUNVHEH-A	2	IS												
	B332IUNVHP-A	3	IS												
Universal	B432IUNVHP-A	4	IS												
	B232I120RES-A	2	IS												
	B432l120RES-A	4	IS												
	B132IUNVHP-N	1	IS												
	B432PUNVHE-A	4	PS												
	B232PUNVHE-B	2	PS												
	B332PUNVHE-A	3	PS												
Watran	DBG32N-MV-TP-PS-HL	4	PS												
	WHCG4-120-T8-IS	4	IS												
Work Horse	WHSG3-UNV-T8-IS	3	IS												
	WHSG4-UNV-T8-IS	4	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



#### **LED T8 GEN 1 LAMPS**

Order code	Description
63244	LED/T8/12W/840/IS/24/ND/STD
63245	LED/T8/17W/840/IS/36/ND/STD
63247	LED/T8/18W/840/IS/48/ND/STD
63248	LED/T8/18W/850/IS/48/ND/STD
63249	LED/T8/22W/835/IS/48/ND/STD
63161	LED/T8/22W/840/IS/48/ND/STD
63250	LED/T8/22W/850/IS/48/ND/STD
63163	LED/T8/22W/840/IS/48/ND/STD/SMX

### **STANDARD**° COMPATIBLE BALLASTS - GEN 1

Brand	Order code and description
STANDARD	61113_E232T8IS120/N/AS; 61124_E232T8IS120/N/AS/BULK; 61128_E232T8IS120-277/N/AS; 60075_E232T8IS120/H/90C; 60076_ E232T8IS347/H/90C; 58278_E232T8IS347/L/BULK; 31549_E232T8IS347/N/BULK; 10293_E232T8IS347/N; 59770_E432T8IS120/ H/90C; 61127_E432T8IS120/L/AS/BULK; 61120_E432T8IS120/L/AS; 61134_E432T8IS120-277/L/AS; 61135_E432T8IS120-277/L/AS/ BULK; 61125_E432T8IS120/N/AS/BULK; 61114_E432T8IS120/N/AS; 61129_E432T8IS120-277/N/AS; 61133_E432T8IS120-277/N/AS/ BULK; 59771_E432T8IS347/H/90C; 56603_E432T8IS347/L/BULK; 31036_E432T8IS347/L; 31552_E432T8IS347/N/BULK; 10294_ E432T8IS347/N; 61123_E232T8IS120/L/AS; 61126_E232T8IS120/L/AS/BULK; 61131_E232T8IS120-277/L/AS; 61132_E232T8IS120-277/L/AS/BULK

#### **OTHER MANUFACTURERS COMPATIBLE BALLASTS - GEN 1**

Brand	Model	
FULHAM	WHCG3-120-T8-IS	
GE	GE-432-120-N; GE-232-MVPS-L; GE-232-MVPS-H; GE-232MAX-N/ULTRA; GE-232-120-N; GE-432-277-N; GE-332MV-N; GE-232-120-PS-N	
HALCO	EP432IS/MV/MC; EP432IS/L/MV/HE; EP332IS/MV/MC; EP332IS/L/MV/HE; EP232IS/MV/MC; EP232IS/L/MV/HE; EP232IS/H/MV/HE; EP132IS/MV/MC MC	
PHILIPS	REZ-2S32-SC; REL-2P32-SC; IP0-4P32-LW-N; ICN-2M32-MC; ICN-1P32-N; ICN-132-MC; GOPA-2P32-SC; Advance REZ-2S32-SC; Advance REL-2P32-SC; Advance REB-2P32-SC; Advance IOPA-2P32-LW-N; Advance IOP-4P32-LW-N; Advance ICN-4P32-N; Advance ICN-3P32-N; Advance ICN-2P32-N; Advance ICN-1P32-N	
SYLVANIA	U-4/32IS HBF; U-4/32IS; U-3/32ISE LBF; U-3/32ISE HBF; U-3/32ISE; U-3/32IS HBF; U-3/32IS; U-2/32ISE LBF; U-2/32ISE HBF; U-2/32ISE; U-2/32ISE HBF; U-2/32ISE HBF; U-2/32ISE; U-2/32ISE HBF; U-2/32ISE; U-2/32ISE HBF; U-2/32ISE HBF; U-2/32ISE; U-2/32ISE HBF; U-2/32ISE HBF; U-2/32ISE HBF; U-2/32ISE; U-2/32ISE HBF; U-2/32ISE HBF; U-2/32ISE; U-2/32ISE HBF; U-2/32ISE HBF; U-2/32ISE HBF; U-2/32ISE; U-2/32ISE HBF; U-2/3	
UNIVERSAL	B432IUNVHP-A; B232PUNVHE-B; B232IUNVHP-N	

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpor recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



#### **LED T8 GEN 2 LAMPS**

Order code	Description
64071	LED/T8/9W/830/24/STD/SMX
64072	LED/T8/9W/835/24/STD/SMX
64073	LED/T8/11W/830/36/STD/SMX
64074	LED/T8/11W/835/36/STD/SMX
63632	LED/T8/11W/840/36/STD
64075	LED/T8/12W/830/48/STD/SMX
63638	LED/T8/12W/835/48/STD
63633	LED/T8/12W/840/48/STD
63634	LED/T8/12W/850/48/STD
63635	LED/T8/17W/835/48/STD
63636	LED/T8/17W/840/48/STD
64152	LED/T8/17W/840/48/STD/SMX
63637	LED/T8/17W/850/48/STD
64153	LED/T8/17W/850/48/STD/SMX

### **STANDARD** COMPATIBLE BALLASTS - GEN 2

Brand	Order code and description
STANDARD	10293_E232T8IS347/N; 56558_E232T8IS120/L/BULK; 58278_E232T8IS347/L/BULK; 61113_E232T8IS120/N/AS; 10365_E332T8IS347/N; 60080_E332T8IS120/L/90C/BULK; 61122_E332T8120/N/AS; 10294_E432T8IS347/N; 56603_E432T8IS347/BULK; 61114_E432T8IS120/N/AS; 61127_E432T8IS120/L/AS/BULK

#### OTHER MANUFACTURERS COMPATIBLE BALLASTS - GEN 2

Brand	Model	
GE	GE-232-MV-N; GE232MAX-N/ULTRA; GE432MAX-L/ULTRA; GE432MAX-H/ULTRA; GE432MVPS-N-V03*	
OSRAM SYLVANIA	QHE 2X32T8/UNV ISL-SC; QTP 2X32T8/UNV ISN-SC; QHE 2X32T8/UNV ISN-SC; QTP 3X32T8/UNV ISN-SC; QHE 3X32T8/UNV ISH-SC; QHE 4X32T8/UNV ISN-SC	
PHILIPS	IOP-2P32-LW-N; ICN-2P32-N; IOPA-2P32-N; IOP-2P32-N; IOPA-3P32-LW-N; IOP-4P32-LW-N; IOPA-4P32-N; IOP-4P32-N; ICN-4P32-N; IZT-2S32-SC*	

<sup>\*</sup> dimming ballast

### **T8 BALLAST/DIMMER COMPATIBILITY LIST - GEN 2**

Order code	Description	Order code	Description
64071	LED/T8/9W/830/24/STD/SMX	Lutron / NTFTV	
64072	LED/T8/9W/835/24/STD/SMX		ADVANCE PHILIPS / IZT-2S32-SC GE / GE432MVPS-N-V03
64073	LED/T8/11W/830/36/STD/SMX		
64074	LED/T8/11W/835/36/STD/SMX		
64075	LED/T8/12W/830/48/STD/SMX	Lutron / NTFTV	ADVANCE PHILIPS / IZT-2S32-SC
64152	LED/T8/17W/840/48/STD/SMX		
64153	LED/T8/17W/850/48/STD/SMX		

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpor recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.