

Eaton LPS-RK-400SP

Catalog Number: LPS-RK-400SP

Eaton Bussmann series LPS-RK fuse, 400 A, Dual, Class RK1, Non-indicating, Blade end x blade end, Time delay|Current-limiting, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Standard, 1, 600 V, 300 Vdc



General specifications

Product Name	Catalog Number
Eaton Bussmann series LPS-RK fuse	LPS-RK-400SP
UPC	Product Length/Depth
051712548557	11.63 in
Product Height	Product Width
2.36 in	2.36 in
Product Weight	Warranty
4.6 lb	Not Applicable

Compliances

RoHS Compliant
CE Marked

Product specifications

Fuse indicator

Non-indicating

Special features

Electrically isolated end cap

Interrupt rating

100 kAIC at 300 Vdc

300 kAIC at 600 Vac

Number of elements

Dual

Connection

Blade end x blade end

Quantity

1

Amperage Rating

400 A

Fuse type

Time delay

Current-limiting

Type

Low-peak fuse

Class

Class RK1

Voltage rating

600 Vac, 300 Vdc

Application

Large distribution switchboards, power panelboards, motor control centers

Packaging type

Standard

Resources

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - LPS-RK-400SP](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)