# Eaton DH1-324D8DN-C54C

Catalog Number: DH1-324D8DN-C54C

Eaton PowerXL DH1 VFD,4.8A,1 HP,0.75 kW,200 - 240 Vac, KEYPAD, No EMC Filter, DC Choke, No Brake Chopper, IP54





Catalog Number

Eaton PowerXL DH1 variable frequency DH1-324D8DN-C54C

drive

**UPC** 

786689046460

Product Length/Depth

**Product Height** 

17 in

12.5 in

**Product Width** 

**Product Weight** 

9 in

15.86 lb

Warranty

Compliances

**CE Marked** 

applies with some exceptions. Drive products come with a standard 24

Eaton Selling Policy 25-000 generally

GoST-R

months from date of shipment and 36

C-Tick Compliant **RoHS Compliant** 

months with Eaton certified start up all inclusive coverage parts labor and travel.

Certifications

EN ISO 13849-1

cUL Listed

IEC 61508

**UL 508C** 

**UL Listed** 

EN 62061



# **Product specifications**

Max overload

110% for 1 minute

Communication interface

PROFIBUS-DP

Motor control modes

Frequency Control, Speed Control, Open Loop Speed Control,

Open Loop Torque Control

Internal DC choke

Yes

Conformal coated boards

Yes

Low overload (VT) kW

0.75 kW

Low overload (VT) hp

1 HP

Low overload (VT) amps

4.8A

**Amperage Rating** 

4.8A

Communications onboard

BACnet/IP, Modbus TCP, Modbus RTU, BACnet MS/TP

Motor type

Induction

Output frequency range

0 - 400 Hz

Series

DH1

Electromagnetic compatibility filter

None

User interface

Graphical Keypad

Relay outputs

3

Power consumption

0.75 kW

### Resources

#### Catalogs

Adjustable Frequency Drives

Specifications and datasheets

Eaton Specification Sheet - DH1-324D8DN-C54C

## Input voltage range

200 - 240 Vac

### Horsepower

1 hp

#### Recommended fuse size

10A

#### Keypad

Included

#### Input frequency range

50 - 60 Hz

### Voltage rating

230 V



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia