Eaton 8063PMURF

Catalog Number: 8063PMURF

Eaton LV Unipak capacitor bank, UNIPAK, Low Voltage Fixed Capacitor Banks, 78.4A, 600V, Three-phase, 80 kVAR, Protected, Neon red blown-fuse indicating lights, Three slottedblade-type fuses, C1 Frame

General specifications

Product Name Eaton LV Unipak capacitor bank

UPC 782116059294

Product Height 26.3 in

Product Weight 66.3 lb

Certifications

CSA Certified

UL Listed

8063PMURF Product Length/Depth 10.6 in

Catalog Number

Product Width 12.1 in

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Catalog Notes

Multiply the 240V kVAR rating by 0.75 to calculate the kVAR value at 208V.



defaultTaxonomyAttributeLabel

Туре

UNIPAK

Amperage Rating

78.40A

Fuse type

Three slottedblade type fuses with 200,000 ampere interrupting capacity

Phase

Three-phase

Product Category

Low Voltage Fixed Capacitor Banks

Voltage rating

600 V

Enclosure

NEMA 1, NEMA 3R

Enclosure material

14 gauge steel finished with durable powder coat finish

Frame size

C1

Indicators

Red, neon blown-fuse indicating lights are protected by transparent weatherproof guard

Protection

Three fuses, three lights

Rating

80 kVAR

Resources

Brochures

Low voltage fixed and switched capacitor banks

Catalogs

Eaton's Volume 3—Power Distribution and Control Assemblies

Specifications and datasheets

Low Voltage Power Factor Correction Capacitor Banks and Harmonic Filters

Eaton Specification Sheet - 8063PMURF



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia