Eaton KLU-3000

Catalog Number: KLU-3000

Eaton Bussmann series KLU fuse, Fast-acting fuse, 3000 A, Class L, Non-indicating, Bolted blade end x bolted blade end, 5 sec at 500%, 200 kAIC at 600 Vac, Bolt, Standard, 1, 600 V

General specifications



Eaton Bussmann series KLU fuse

UPC

051712497039

Product Height

5 in

Product Weight

16.85 lb

Compliances
CE Marked

RoHS Compliant

Catalog Number

KLU-3000

Product Length/Depth

10.75 in

Product Width

5 in

Warranty

Not Applicable



Electrical rating

Amperage Rating

3000 A

Interrupt rating

200 kAIC at 600 Vac

Response time

5 sec at 500%

Voltage rating

600 V

Physical details

Packaging type

Standard

General information

Class

Class L

Connection

Bolted blade end x bolted blade end

Fuse indicator

Non-indicating

Mounting method

Bolt

Quantity

1

Special features

Non-indicating

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KLU-3000

Technical data sheets

KLU-3000~LIMITRON TIME DELAY FUSE

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia