

# Eaton DSD918

Catalog Number: DSD918

Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly, 10A, Black, Feraloy iron alloy, 1 circuit universal, 1 button, 600 Vac



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly	DSD918
	UPC
	782274776057
<b>Product Length/Depth</b>	<b>Product Height</b>
5.3 in	4.6 in
<b>Product Width</b>	<b>Product Weight</b>
6.7 in	3.55 lb

## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

### NEMA Rating

3

7

9

## Product specifications

### Voltage rating

600 Vac

### Number of cover buttons

1

### Normal position

1 circuit universal

### Amperage Rating

10A

### Color

Black

### Material

Feraloy iron alloy

## Resources

### Catalogs

[DSD and DSDX Cover and Device Sub-assemblies catalog page](#)

### Certification reports

[DSD Explosionproof Cover and Device Sub-assemblies Canadian certification](#)

[DSD Explosionproof Cover and Device Sub-assemblies UL certification](#)

### Installation instructions

[IF 1929 - Toggle Operator for EDS, EDSX, EFD, DSD and DSDX Series](#)

[IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations](#)

[IF 1424 - DSD, GFS, CPS and ENR Series Replacement Covers](#)

### Specifications and datasheets

[Eaton Specification Sheet - DSD918](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)