

# Eaton P60G11S1020

Catalog Number: P60G11S1020

10 KVA Mini Power Center 1PH 600V-120/240V 20 spaces



## General specifications

Product Name

Eaton Mini-Power center

UPC

786680225697

Product Height

18 in

Product Weight

238 lb

Catalog Number

P60G11S1020

Product Length/Depth

40 in

Product Width

14.5 in

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

NAFTA

Certifications

UL Listed

ANSI

IEEE Certified

CSA Certified

## Physical Attributes

### Coil material

Aluminum

### Enclosure

NEMA 3R

### Frame

286

### Insulation

180 °C

### Mounting

Wall Mount

### Tap size

2 at -5% FCBN

### Type

Mini-power center

### Wiring connection

M60G11G

## Performance Ratings

### Frequency rating

60 Hz

### kVA

10 kVA

### Kva Rating

10 kVA

### Phase

Single-phase

### Primary voltage

600 V

### Secondary Voltage

120/240 V

### Sound Level

NEMA ST-20

### Temperature rise

115 °C rise

### Volt ampere rating

10 kVA

## Miscellaneous

### Modification 1

NEMA 3R

### Weathershield

Not required

## Resources

### Catalogs

[Eaton's Volume 2—Commercial Distribution](#)

### Multimedia

[Eaton's Transformer Flex Center](#)

### Specifications and datasheets

[Eaton Specification Sheet - P60G11S1020](#)

### Warranty guides

[Selling Policy 25-000 - Distribution and Control Products and Services](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)