

Eaton 10250T30R

Catalog Number: 10250T30R

Eaton, 30.5 mm, Heavy-Duty Watertight/Oiltight Pushbutton, Class I Division 2, Red, Plastic Actuator, Chrome bezel, 1NO - 1NC, Non-illuminated, Flush mounting, Momentary, 30.5 mm, Flush Pushbutton, 10250T Series



General specifications

| | |
|-------------------------|-----------------------------|
| Product Name | Catalog Number |
| Eaton 10250T pushbutton | 10250T30R |
| UPC | Product Length/Depth |
| 782113107530 | 2.4 in |
| Product Height | Product Width |
| 3.5 in | 2.1 in |
| Product Weight | Warranty |
| 0.3 lb | 1 year |
| Compliances | Certifications |
| CE Marked | CSA Certified UL Listed |

defaultTaxonomyAttributeLabel

Type

Class I division 2

Actuator color

Red

Bezel

Chrome

Actuator material

Plastic

Operating mode

Momentary

Contact configuration

1 NO-1 NC

Illumination

Non-illuminated

Series

10250T

Mounting method

Flush

Rating

NEMA 3R

NEMA 12

NEMA 4X

NEMA 13

NEMA 4

NEMA 3

Degree of protection

NEMA 3R

NEMA 4

NEMA 12

NEMA 3

NEMA 4X

NEMA 13

Product category

Flush pushbutton

Size

30.5 mm

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Multimedia

How to size and select a Power Supply

Specifications and datasheets

Eaton Specification Sheet - 10250T30R



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)