




Transformer Specifications

PRIMARY VOLTAGE(S)	240x480
SECONDARY VOLTAGE(S)	24
RATED V/A	50
RATED FREQUENCY	50/60
INSULATION CLASS	105
AGENCY APPROVALS	UL, CUL
ESTIMATED WEIGHT	2.7 LBS

TEST REQUIREMENTS

WINDING	H4-H3	H2-H1	X2-X1
D.C. VOLTS	240	240	27.0
LOAD VOLTS	240	240	24
F.L. AMPS	0.152	0.152	2.083
HI-POIT		3000V	1800V
EXCITING AMPS		0.29AMPS @ 240 VOLTS, 50HZ	
EXCITING WATTS	7.8		



NOTE:  
1. ALL MEASUREMENTS IN INCHES(MM).


MAIN PRODUCT IDENTIFICATION LABEL

**Cutler-Hammer** INDUSTRIAL CONTROL TRANSFORMER

50V/A 50/60Hz  
TEMP CL. 105°C

CAT NO. C0050E2B  
SERIES 2

40092 B050-2112-1



REVISION DT		
UNLESS OTHERWISE SPECIFIED	DIMENSIONS IN INCHES	
ONE PLACE DEC	40.1	APPD 07/01/09
TWO PLACE DEC	4.7/01/09	E. ROBLES
THREE PLACE DEC	EQ.000	DATE 07/01/09
ANGLES	15°	APPD O SANDOVAL
VOLTAGE	45%	ENGR REF 07/01/09
RESISTANCE	±10%	
INDUCTIVE REACTANCE	±10%	
FORCE/TORQUE/SPEED	±10%	
TIME	±1%	
TEMPERATURE	±33%/25°F	
TEMPERATURE TO BE INTERFERED	±1%	
OTHER	±1%	
CONFORM TO BE INTERFERED	±1%	
CONFORM TO BE INTERFERED	±1%	
ASME Y14.5M-1994		
(XXX) SYMBOL DEFINITIONS PER DRAWING 6942700		
THRU ANGLE PROJECTION		
PRATER/DESIGNER	DATE	EATON CORPORATION - CONFIDENTIAL AND PROPRIETARY
S. CASTRO	07/01/09	NOTE TO PERSONS RECEIVING THIS DOCUMENT AND/OR TECHNICAL INFORMATION: THIS DOCUMENT IS THE PROPERTY OF EATON CORPORATION. IT IS TO BE USED IN CONJUNCTION WITH THE EXCLUSIVE PROPERTY OF EATON CORPORATION. ANY REPRODUCTION OR TRANSMISSION OF THIS DOCUMENT WITHOUT THE WRITTEN PERMISSION OF EATON CORPORATION IS STRICTLY PROHIBITED. EATON CORPORATION AND ITS AFFILIATES DO NOT ASSUME ANY LIABILITY FOR THE USE OF THIS DOCUMENT IN ANY MANNER. THE USER SHALL OBTAIN THE STATUS OF THIS DOCUMENT FROM THE ORIGINAL SOURCE AND SHALL OBTAIN THE STATUS OF THIS DOCUMENT FROM THE ORIGINAL SOURCE.
ENGR REF	DATE	INDUSTRIAL CONTROL TRANSFORMER
07/01/09		
TOOL REF	SIZE	
OSPEC	B	
	C0050E2B.DWG	
	PARTS LIST	
	DWG NO	
	C0050E2B	
	PRODUCT CODE	
	1 OF 1	