

Eaton 15063PMURF

Catalog Number: 15063PMURF

Eaton LV Unipak capacitor bank, UNIPAK, LV Fixed Capacitor Banks, 147A, 600V, Three-phase, 150 kVAR, Protected, Neon red blown-fuse indicating lights, Three slottedblade-type fuses, NEMA 1, 3R, C2 Frame

General specifications



Product Name

Eaton LV Unipak capacitor bank

Catalog Number

15063PMURF

UPC

782116059362

Product Length/Depth

11.978 in

Product Height

36 in

Product Width

19.3 in

Product Weight

101.4 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications

CSA Certified

UL Listed

Catalog Notes

Multiply the 240V kVAR rating by 0.75 to calculate the kVAR value at 208V.

defaultTaxonomyAttributeLabel

Type

UNIPAK

Amperage Rating

147A

Fuse type

Three slottedblade type fuses with 200,000 ampere interrupting capacity, Fuses mounted on stand-off bushings or fuse blocks, solderless connectors for easy hookup of incoming line conductors.

Phase

Three-phase

Product Category

Low Voltage Fixed Capacitor Banks

Voltage rating

600 V

Enclosure

NEMA 1, NEMA 3R

Enclosure material

14 gauge steel finished with durable powder coat finish

Frame size

C2

Indicators

Red, neon blown-fuse indicating lights are protected by transparent weatherproof guard

Protection

Three fuses, three lights

Rating

150 kVAR

Resources

Catalogs

[Eaton's Volume 3—Power Distribution and Control Assemblies](#)

Specifications and datasheets

[Eaton Specification Sheet - 15063PMURF](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)