

Eaton C25DNJ350A

Catalog Number: C25DNJ350A

Eaton definite purpose contactor, Quick, 50A, 550-600 Vac, 50/60 Hz, 1NC, Open with metal mounting plate, 15-50A, two- and three-pole, 50A, Contactor, Three-pole, 65A, Box lugs(positdrive setscrew) and quick connect terminals , Non-reversing

General specifications



Product Name

Eaton definite purpose contactor

Catalog Number

C25DNJ350A

UPC

782116300723

Product Length/Depth

3.35 in

Product Height

3.75 in

Product Width

2.4 in

Product Weight

1.3 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

CE Marked
RoHS Compliant

Certifications

CSA Certified
UL Listed file E1491 (Guide Number NLDX2)

defaultTaxonomyAttributeLabel

Accessories

Mounting plate

Number Of Poles

Three-pole

Type

Non-reversing

Auxiliary contacts

Quick connect (vertical in-line)

Coil

110-120 Vac

Coil voltage

50/60 Hz

Enclosure

Open with metal mounting plate

Frame size

15-50 A, two-pole and three-pole

Inductive full load

50 A

Model

Contactors

Series

E1

Terminals

Box lugs (posidrive setscrew)

Connection

Quick

Resources

Catalogs

Eaton's Volume 5—Motor Control and Protection

Drawings

C25DNJ3 3D Inventor

C25DNJ3 AutoCAD 2D Footprint (mm)

C25DNJ3 2D PDF

C25DNJ3 AutoCAD 2D Footprint

C25DNJ3 2D Drawing Xchange

C25DNJ3 3D Model Xchange

Specifications and datasheets

Eaton Specification Sheet - C25DNJ350A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)