

# Eaton E47BMS22

Catalog Number: E47BMS22

Precision Limit Switch, E47, Straight lever, Screw Terminals, 15A at 250 Vac, 6A at 30 Vdc, 0.01 mm/s-1m/s, 1-SPDT (Form C)

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton E47 limit switch	E47BMS22
<b>UPC</b>	<b>Product Length/Depth</b>
782113770963	3 in
<b>Product Height</b>	<b>Product Width</b>
0.7 in	1.2 in
<b>Product Weight</b>	<b>Warranty</b>
0.08 lb	1 year
<b>Certifications</b>	
CSA Certified	
UL Listed	

## defaultTaxonomyAttributeLabel

### Type

E47

### Contact Rating

15A at 250 Vac, 6A at 30 Vdc

### Enclosure material

Mineral filled phenolic

### Actuator

Straight lever

### Connection

Screw terminal

### Contact configuration

1-SPDT (form C)

### Series

E47

### Operating temperature - max

176 °F

### Operating temperature - min

-13 °F

### Environmental rating

NEMA 1

### Maximum AC current

15 A

### Maximum DC current

15 A

### Operating speed

0.01 mm/s-1m/s

## Resources

### Brochures

E47 precision - Limit switches

### Catalogs

Eaton's Volume 8—Sensing Solutions

### Specifications and datasheets

Eaton Specification Sheet - E47BMS22



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)