

Eaton E51CLT16PU

Catalog Number: E51CLT16PU

Eaton E51 NEMA limit switch inductive proximity sensor, Factory Sealed 6P+ Inductive Proximity Top Sensor Enclosure, L1 Switched, 8 Ft. (2.5m) Cable, 120Vac input, < 0.3% accuracy, Shielded, 8 Ft.(2.4m), 1.0 A max AC/ss output



General specifications

Product Name	Catalog Number
Eaton E51 NEMA limit switch inductive proximity sensor	E51CLT16PU
	UPC
	782113866239
Product Length/Depth	Product Height
5 in	2 in
Product Width	Product Weight
2 in	1.1938 lb
Warranty	Certifications
1 year	UL Listed CSA Certified

Catalog Notes

Sensor head is hard wired to sensor body and cannot be detached; but can be unfastened and rotated to any of four positions.

defaultTaxonomyAttributeLabel

Contact Rating

1.0A Solid State Output

Actuator function

Shielded

Cable type

SOOW-A

Accuracy

< 0.3%

Enclosure material

Housing: die cast zinc

Head: plastic

Connection

8 ft (2.4 m) cable

Contact configuration

L1 switched

Sensor type

Inductive proximity

Environmental rating

NEMA 3, NEMA 3S, NEMA 4, NEMA 4X, NEMA 6, NEMA 6P,
NEMA 12, NEMA 13, IP68

Cord length

96 ft

Operating temperature - max

158 °F

Operating temperature - min

-13 °F

Maximum AC current

1 A

Input voltage

120 Vac

LED indicator

One LED for each output

Lights when output is ON

Protection

None

Resources

Catalogs

[Eaton's Volume 8—Sensing Solutions](#)

Specifications and datasheets

[Eaton Specification Sheet - E51CLT16PU](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)