B-61656

7-1/4" 24T Carbide-Tipped Max Efficiency Circular Saw Blade, Framing



EFFICIENCY: Up to 70% more cuts per charge compared to standard blades

SPEED: Up to 70% faster cutting compared to standard blades DURABILITY: High grade Tungsten carbide tips for durability

DESIGN: Special ATAFR (Alternate Top Alternate Face w/ Raker) carbide tips provide smoother and faster cuts

INCLUDES: 7-1/4" 24T Carbide-Tipped Max Efficiency Ultra-Thin Kerf Circular Saw Blade, Framing



ABOUT MODEL

The Makita 7-1/4 in. 24T Carbide-Tipped Max Efficiency Ultra-Thin Kerf Framing Saw Blade is ideal for a framers using cordless circular saws for a full range of wood cutting applications. The ultra-thin kerf design (only 0.057 in.) and specially engineered blade teeth to assist in reducing the load put on the tool while cutting, with a reduced swing width that allows for smoother material removal with less cutting resistance. The result is increased cutting efficiency, and users get up to 70% faster cutting and up to 70% more cuts per charge compared to standard blades. The high grade Tungsten Carbide tips are engineered for improved durability and longer blade life, and the special ATAFR (Alternate Top Alternate Face with Raker) carbide tips provide smoother and caster cuts. Added features including a blade coating for reduced pitch build-up.

FEATURES

- Up to 70% more cuts per charge compared to standard blades
- Up to 70% faster cutting compared to standard blades
- Ultra-Thin 0.057" kerf reduces the load put on the tool
- High grade Tungsten carbide tips for durability
- Special ATAFR (Alternate Top Alternate Face w/ Raker) carbide tips provide smoother and faster cuts
- · Blade coating provides reduced pitch build-up for smoother cuts
- Specially engineered teeth assist to reduce the load put on the tool while cutting
- · Reduced swing width allow for smoother material removal with less cutting resistance
- Top bevel angle designed with a sharp 23° tip which provides a smoother cut
- Slimmer tip bottoms provide lower cutting resistance.



SPECS

Cut Type : Cross Blade Tooth Material : Carbide Application (saw blades) : Wood, Framing Tooth Count : 24 Arbor Size : 5/8" Diamond Arbor Knockout : Yes Tooth Grind : ATAFR Hook Angle : 23° Plate Thickness : .039" Kerf : .057" Maximum Speed (RPM) : 8,300 Tool Compatibility : Circular Saw Package Quantity : 1 Shipping Weight : .6 lbs.	Blade Diameter :	7-1/4"
Blade Tooth Material : Carbide Application (saw blades) : Wood, Framing Tooth Count : 24 Arbor Size : 5/8" Diamond Arbor Knockout : Yes Tooth Grind : ATAFR Hook Angle : 23° Plate Thickness : .039" Kerf : .057" Maximum Speed (RPM) : 8,300 Tool Compatibility : Circular Saw Package Quantity : 1 Shipping Weight : .6 lbs.	Blade Type(s):	Circular Saw - Max Efficiency
Application (saw blades): Tooth Count: Arbor Size: Diamond Arbor Knockout: Yes Tooth Grind: Hook Angle: Plate Thickness: Kerf: Maximum Speed (RPM): Tool Compatibility: Circular Saw Package Quantity: Shipping Weight: Wood, Framing Wood, Framing Stood, Framing 124 Arbor Size: 1024 Arbor Size: 1024 Arbor Size: 1025 ATAFR 1026 ATAFR 1027 ATAFR 1028 ATAFR 1029 ATAFR 1029	Cut Type :	Cross
Tooth Count : 24 Arbor Size : 5/8" Diamond Arbor Knockout : Yes Tooth Grind : ATAFR Hook Angle : 23° Plate Thickness : .039" Kerf : .057" Maximum Speed (RPM) : 8,300 Tool Compatibility : Circular Saw Package Quantity : 1 Shipping Weight : .6 lbs.	Blade Tooth Material :	Carbide
Arbor Size: 5/8" Diamond Arbor Knockout: Yes Tooth Grind: ATAFR Hook Angle: 23° Plate Thickness: .039" Kerf: .057" Maximum Speed (RPM): 8,300 Tool Compatibility: Circular Saw Package Quantity: .1 Shipping Weight: .6 lbs.	Application (saw blades) :	Wood, Framing
Diamond Arbor Knockout : Yes Tooth Grind : ATAFR Hook Angle : 23° Plate Thickness : .039" Kerf : .057" Maximum Speed (RPM) : 8,300 Tool Compatibility : Circular Saw Package Quantity : 1 Shipping Weight : .6 lbs.	Tooth Count :	24
Tooth Grind: ATAFR Hook Angle: 23° Plate Thickness: .039" Kerf: .057" Maximum Speed (RPM): .8,300 Tool Compatibility: .Circular Saw Package Quantity: .1 Shipping Weight: .6 lbs.	Arbor Size :	5/8"
Hook Angle : 23° Plate Thickness : .039" Kerf : .057" Maximum Speed (RPM) : 8,300 Tool Compatibility : Circular Saw Package Quantity : 1 Shipping Weight : .6 lbs.	Diamond Arbor Knockout :	Yes
Plate Thickness: .039" Kerf: .057" Maximum Speed (RPM): .8,300 Tool Compatibility: .Circular Saw Package Quantity: .1 Shipping Weight: .6 lbs.	Tooth Grind :	ATAFR
Kerf:.057"Maximum Speed (RPM):8,300Tool Compatibility:Circular SawPackage Quantity:1Shipping Weight:.6 lbs.	Hook Angle :	23°
Maximum Speed (RPM): Tool Compatibility: Package Quantity: Shipping Weight: 8,300 Circular Saw 1 Shipping Weight:	Plate Thickness :	.039"
Tool Compatibility: Package Quantity: Shipping Weight: Circular Saw 1 6 lbs.	Kerf:	.057"
Package Quantity: 1 Shipping Weight: .6 lbs.	Maximum Speed (RPM) :	8,300
Shipping Weight: .6 lbs.	Tool Compatibility :	Circular Saw
	Package Quantity :	1
UPC Code: 088381-527866	Shipping Weight:	.6 lbs.
	UPC Code :	088381-527866

RESOURCES & MEDIA



PRODUCTS RELATED TO B-61656

Page 1 of 3







GRP-CSB-006 5007F

☼ 7-1/4" Wood Cutting Circular Saw Blades

7-1/4" Circular Saw