
Rittal - The System.

Faster – better – everywhere.





VX 8640.005

Base/plinth corner pieces with base/plinth trim panels, front and rear, 100 mm

State: 2/4/2024 (Source: rittal.com/us-en)

CLOSURES >> POWER DISTRIBUTION

IMATE CONTROL

T INFRASTRUCTURI

SOFTWARE & SERVICES

VX 8640.005 - Base/plinth corner pieces with base/plinth trim panels, front and rear, 100 mm for VX, VX IT, VX SE, TE, TS, TS IT, TP, PC, IW

Heavy-duty base/plinth corner pieces with molded self-positioning to the enclosure, can be used with or without base/plinth trim panel, depending on the application. Large openings in the base/plinth corner piece for optimal access to the screwing point, can be covered using plastic bay and corner covers.

Features

Model No.	VX 8640.005
Product description	Heavy-duty base/plinth corner pieces with molded self-positioning to the enclosure, can be used with or without trim panels depending on the application. Large openings in the base/plinth corner piece for optimal access to the screw-fastening point, can be concealed with a plastic corner and baying cover.
Material	Base/plinth corner piece: Sheet steel
	Base/plinth trim panels, front/rear: Sheet steel
	Corner and baying covers: Plastic
Color	RAL 9005
Supply includes	4 x base/plinth corner pieces, 100 mm high
	4 x corner covers
	1 x baying cover
	2 x base/plinth trim panels, front/rear, 100 mm high
	Assembly components
Note	Base/plinth trim panels, on the side for closing off a base/plinth unit, for additional stabilization of the bases/plinths to one another, or for interior installation of the bases/plinths
Dimensions	Height: 100 mm
	Height: 3.94 "

© Rittal 2024 2

Features

Suitable for	Enclosure type: VX
	VX IT
	VX SE
	TS IT
	TX CableNet
	Width: = 1,000 mm
	Enclosure type: VX
	VX IT
	VX SE
	TS IT
	TX CableNet
	Width: = 39.4 "
Type rating according to UL 50E	Type 1, 12
Weight/packaging unit	5.94 kg
	13.1 lb.
Packaging unit	2 pc(s).
Customs tariff number	94039910
EAN	4028177958784
E-Number Sweden	E3465365
ETIM 7.0	EC000721
ECLASS 8.0	27182003

Approvals

Approvals	UL + C-UL (listed)
	UL + C-UL - FTTA

© Rittal 2024 3