MP75 PXE™ SERIES Mobile Printer









PXE[™] **SERIES** Mobile Printers

Do your job smarter, faster and easier with PXE Series Mobile Printers. This full line of advanced identification printers combine Panduit's industry-leading performance and field-tested durability with Epson's world-class printing technology.



MP75 Mobile Label Printer

A reliable and affordable printer for network, electrical, and other industrial applications.

FEATURES:

- Shared MP Cassette Platform
- 180 dpi print resolution
- Custom Application Specific Label Modes
- Large Library of Barcodes and Custom Symbols
- Prints up to 0.75 in wide labels
- Fast 0.25 in/sec Print Speed
- Continuous Label Cassette
- Qwerty Keyboard
- Backlit LCD Screen
- Manual Push Button Cutter

Dimensions

Compact and Lightweight

Width: 4.33 in (110 mm)
Depth: 6.70 in (170 mm)
Height: 2.20 in (56 mm)

Weight: 14 oz (400 g)

(excluding batteries, tape cartridge)

Ordering Information

Part Number	Description
MP75	Compact entry level industrial printer that features custom label modes, a qwerty keyboard, backlit LCD screen, and a large library of barcodes and custom symbols. Includes the lightweight printer, one T075X000VPM-BK continuous label cassette and quick reference card
PTR-CLN	Printer cleaning kit - contains (1) cleaning pen, (8) cleaning solution soaked wipes, (8) foam swabs pre-saturated with cleaning solution, MSDS, and cleaning instructions





PORTABLE LABEL PRINTER PARTNER

Epson™ Print Technology

Epson is a global technology leader dedicated to connecting people, things and information with efficient, compact and precision technologies.

Panduit[™] Labeling and Software Expertise

Panduit creates leading-edge labeling solutions for electrical and network environments, from the data center to the telecom room, the jobsite to the plant floor.






Ordering Information



Non-Laminated Label Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- · Non-laminated adhesive labels for wire/cable identification





	Printer Compatibility				Print-On	Height		Length		Std.	Std.	
Part Number	Part Description	MP75	MP100	MP200	MP300	Area Color	ln.	mm	Ft.	m	Pkg. Qty.	Ctn. Qty.
T050X000C1M-BK	MP Cassette, Continuous Tape, Nylon Cloth, 0.50" W x 19' L, Black on White	.,	N	Y	Y	Black on White	0.465	11.82	19	6	1	_
T075X000C1M-BK	MP Cassette, Continuous Tape, Nylon Cloth, 0.75" W x 19' L, Black on White	Y					0.702	17.82				5

Representative offering only, visit www.panduit.com for complete listing of products.



Continuous Heat Shrink Labels

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Non-adhesive flattened heat shrinkable polyolefin for wire/cable identification



Heat Shrinkable Polyolefin 3:1 Heat Shrink Ratio (H1, H2)



-40°F to 257°F (-40°C to 125°C)

	Part Description	Shrink Ratio	Mil Spec	Printer Compatibility			Ribbon &	Width		Length		Min. Cable O.D.		Max. Cable O.D.				. Std.	
Part Number				MP75	MP100	MP200	MP300	Material Color	In.	mm	Ft.	m	ln.	mm	ln.	mm	Size Range	Qty.	Qty.
H000X025H1M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .25" W x 8' L, White		Y	Y	Y	Y		Black on White	0.07	0.0	8.2	2.5	0.00		0.40	4.1	22 - 18 AWG	1	5
H000X025H2M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .25" W x 8' L, Yellow							Black on Yellow	0.27	6.8			0.06	1.4	0.16				
H000X034H1M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .34" W x 8' L, White	3:1					Y	Black on White	0.07	0.37 9.3			0.07		0.22	5.7	18 - 12 AWG		
H000X034H2M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .34" W x 8' L, Yellow							Black on Yellow					0.07	1.9					

Representative offering only, visit www.panduit.com for complete listing of products.

