


Ordering Information



Continuous Self-Laminating Labels

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Self-laminating adhesive labels for wire/cable identification include a white print-on area and clear over-laminate



Self-Laminating Vinyl (VA)



-40°F to 150°F
(-40°C to 66°C)

| Part Number | Part Description | Printer Compatibility | | | | Print-On Area Color | Width | | Length | | Print-On Area Width | | Min. Cable O.D. | | Max. Cable O.D. | | Wire/Cable Size Range | Std. Pkg. Qty. | Std. Ctn. Qty. |
|-----------------------------|---|-----------------------|-------|-------|-------|---------------------|-------|----|--------|-----|---------------------|----|-----------------|-----|-----------------|-----|-----------------------|----------------|----------------|
| | | MP75 | MP100 | MP200 | MP300 | | In. | mm | Ft. | m | In. | mm | In. | mm | In. | mm | | | |
| S000X100VAM | MP Cassette, Continuous Self-Lam Tape, Vinyl, 1.0" W x 26' L, White | N | Y | Y | Y | White | 0.945 | 24 | 26.2 | 8.0 | 0.315 | 8 | 0.10 | 2.5 | 0.20 | 5.1 | 12 – 10 AWG | 1 | 5 |

Representative offering only, visit www.panduit.com for complete listing of products.



Non-Laminated Label Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Non-laminated adhesive labels for wire/cable identification



Nylon Cloth (C1M)




-65°F to 275°F
(-54°C to 135°C)

| Part Number | Part Description | Printer Compatibility | | | | Print-On Area Color | Height | | Length | | Std. Pkg. Qty. | Std. Ctn. Qty. |
|--------------------------------|--|-----------------------|-------|-------|-------|---------------------|--------|-------|--------|---|----------------|----------------|
| | | MP75 | MP100 | MP200 | MP300 | | In. | mm | Ft. | m | | |
| T050X000C1M-BK | MP Cassette, Continuous Tape, Nylon Cloth, 0.50" W x 19' L, Black on White | Y | N | Y | Y | Black on White | 0.465 | 11.82 | 19 | 6 | 1 | 5 |
| T075X000C1M-BK | MP Cassette, Continuous Tape, Nylon Cloth, 0.75" W x 19' L, Black on White | | | | | | 0.702 | 17.82 | | | | |
| T100X000C1M-BK | MP Cassette, Continuous Tape, Nylon Cloth, 1.00" W x 19' L, Black on White | N | | | | | 0.938 | 23.82 | | | | |

Representative offering only, visit www.panduit.com for complete listing of products.

Ordering Information



Continuous Heat Shrink Labels

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Non-adhesive flattened heat shrinkable polyolefin for wire/cable identification



Heat Shrinkable Polyolefin
3:1 Heat Shrink Ratio (H1, H2)



-40°F to 257°F
(-40°C to 125°C)

Heat Shrinkable Polyolefin
2:1 Heat Shrink Ratio (HP, HX)

-67°F to 257°F
(-55°C to 125°C)

| Part Number | Part Description | Shrink Ratio | Mil Spec | Printer Compatibility | | | | Ribbon & Material Color | Width | | Length | | Min. Cable O.D. | | Max. Cable O.D. | | Wire/Cable Size Range | Std. Pkg. Qty. | Std. Ctn. Qty. | | | | | | |
|-----------------------------|---|--------------|----------|-----------------------|-------|-------|-------|-------------------------|-------|-----|--------|------|-----------------|-----------------|-----------------|------|-----------------------|----------------|----------------|------------|------|-----|-----|-----|-----------|
| | | | | MP75 | MP100 | MP200 | MP300 | | In. | mm | Ft. | m | In. | mm | In. | mm | | | | | | | | | |
| H000X025H1M | MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .25" W x 8' L, White | 3:1 | Y | Y | | | | Black on White | 0.27 | 6.8 | 8.2 | 2.5 | 0.06 | 1.4 | 0.16 | 4.1 | 22 - 18 AWG | 1 | 5 | | | | | | |
| H000X025H2M | MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .25" W x 8' L, Yellow | | | | | | | Black on Yellow | | | | | | | | | | | | | | | | | |
| H000X034H1M | MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .34" W x 8' L, White | | | | | | | Black on White | 0.37 | 9.3 | | | 0.07 | 1.9 | 0.22 | 5.7 | | | | 16 - 8 AWG | | | | | |
| H000X034H2M | MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .34" W x 8' L, Yellow | | | | | | | Black on Yellow | | | | | | | | | | | | | | | | | |
| H000X044H1M | MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .44" W x 8' L, White | | | | | | | Y | Y | Y | | | 0.48 | 12.3 | 8.2 | 2.5 | | | | | 0.09 | 2.4 | 0.3 | 7.6 | 8 - 2 AWG |
| H000X044H2M | MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .44" W x 8' L, Yellow | | | | | | | | | | | | | | | | | | | | | | | | |
| H000X064HPM | MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .64" W x 8' L, White | 2:1 | N | N | 0.71 | 18.0 | | | 0.21 | 5.3 | 0.43 | 10.9 | 4 - 1 AWG | | | | | | | | | | | | |
| H000X064HXM | MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .64" W x 8' L, Yellow | | | | | | | | | | | | | Black on Yellow | | | | | | | | | | | |
| H000X084HPM | MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .84" W x 8' L, White | | | | | | | | | | | | | Black on White | 0.87 | 22.5 | 0.32 | 8.1 | 0.54 | 13.7 | | | | | |
| H000X084HXM | MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .84" W x 8' L, Yellow | | | | | | | | | | | | | Black on Yellow | | | | | | | | | | | |


Representative offering only, visit www.panduit.com for complete listing of products.

Ordering Information




Continuous Tape Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Print custom pipe markers, voltage markers, signs, bin markers, and network ID labels on demand
- For flat label applications only


 Vinyl Material (VXM & VPM)

 -40°F to 194°F (-40°C to 90°C)

 Polyester Material (YKM, BYM, BWM, BQM, BSM, BUM)

 -40°F to 257°F (-40°C to 125°C)

 Magnetic Material (MPM & MXM)

 14°F to 104°F (-10°C to 40°C)

| Part Number | Part Description | Printer Compatibility | | | | Ribbon & Material Color | Width | | Length | | Std. Pkg. Qty. | Std. Ctn. Qty. | | | |
|--------------------------------|--|-----------------------|-------|-------|-----------------|-------------------------|-------|-----------------|-----------------|-------|----------------|----------------|------|----|-----|
| | | MP75 | MP100 | MP200 | MP300 | | In. | mm | Ft. | m | | | | | |
| T038X000VPM-BK | MP Cassette, Continuous Tape, Vinyl, 0.38" W x 23' L, Black on White. | Y | | | | Black on White | 0.354 | 9.0 | 23 | 7.0 | 1 | 5 | | | |
| T038X000VXM-BK | MP Cassette, Continuous Tape, Vinyl, 0.38" W x 23' L, Black on Yellow. | | | | | Black on Yellow | | | | | | | | | |
| T038X000YKM-BK | MP Cassette, Continuous Tape, Polyester, 0.38" W x 30' L, Black on Clear. | | | | | Black on Clear | | | | | | | | | |
| T038X000BYM-WH | MP Cassette, Continuous Tape, Polyester, 0.38" W x 30' L, White on Black. | | | | | White on Black | | | | | | | | | |
| T050X000VPM-BK | MP Cassette, Continuous Tape, Vinyl, 0.50" W x 23' L, Black on White. | | | | | 0.472 | 12.0 | Black on White | | | | | | | |
| T050X000VXM-BK | MP Cassette, Continuous Tape, Vinyl, 0.50" W x 23' L, Black on Yellow. | | | | | | | Black on Yellow | | | | | | | |
| T050X000YKM-BK | MP Cassette, Continuous Tape, Polyester, 0.50" W x 30' L, Black on Clear. | | | | | | | Black on Clear | | | | | | | |
| T050X000BYM-WH | MP Cassette, Continuous Tape, Polyester, 0.50" W x 30' L, White on Black. | | | | | | | White on Black | | | | | | | |
| T075X000VPM-BK | MP Cassette, Continuous Tape, Vinyl, 0.75" W x 23' L, Black on White. | | | | | Y | Y | Y | Black on White | 0.710 | | | 18.0 | 23 | 7.0 |
| T075X000VXM-BK | MP Cassette, Continuous Tape, Vinyl, 0.75" W x 23' L, Black on Yellow. | | | | | | | | Black on Yellow | | | | | | |
| T075X000YKM-BK | MP Cassette, Continuous Tape, Polyester, 0.75" W x 30' L, Black on Clear. | | | | | | | | Black on Clear | | | | | | |
| T075X000BYM-WH | MP Cassette, Continuous Tape, Polyester, 0.75" W x 30' L, White on Black. | | | | | | | | White on Black | | | | | | |
| T100X000MPM-BK | MP Cassette, Continuous Tape, Magnetic, 1.00" W x 4.9' L, Black on White. | N | | | Black on White | 0.945 | 24.0 | 4.9 | 1.5 | | | | | | |
| T100X000MXM-BK | MP Cassette, Continuous Tape, Magnetic, 1.00" W x 4.9' L, Black on Yellow. | | | | Black on Yellow | | | | | | | | | | |
| T100X000VPM-BK | MP Cassette, Continuous Tape, Vinyl, 1.00" W x 23' L, Black on White. | | | | Black on White | | | | | | | | | | |
| T100X000VXM-BK | MP Cassette, Continuous Tape, Vinyl, 1.00" W x 23' L, Black on Yellow. | | | | Black on Yellow | | | | | | | | | | |
| T100X000YKM-BK | MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, Black on Clear. | | | | Black on Clear | | | | | | | | | | |
| T100X000BQM-WH | MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Blue. | | | | White on Blue | | | | | | | | | | |
| T100X000BSM-WH | MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Green. | | | | White on Green | | | | | | | | | | |
| T100X000BUM-BK | MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, Black on Orange. | | | | Black on Orange | | | | | | | | | | |
| T100X000BWM-WH | MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Red. | | | | White on Red | | | | | | | | | | |
| T100X000BYM-WH | MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Black. | | | | White on Black | | | | | | | | | | |

Representative offering only, visit www.panduit.com for complete listing of products.