

# Eaton 5PX3000HRTG2

Catalog Number: 5PX3000HRTG2

Eaton 5PX G2 UPS, 2U, 3000 VA, 3000 W, L6-20 input, Outputs:  
(2) C19, (8) C13, 208V

## General specifications



Photo is representative

### Product Name

Eaton 5PX G2 UPS

### UPC

743172105745

### Product Height

3.4 in

### Product Weight

69.9 lb

### Compliances

CE Marked

REACH

### Catalog Number

5PX3000HRTG2

### Product Length/Depth

23.7 in

### Product Width

17.2 in

### Warranty

3 year on electronics, 3 year on batteries  
with registration

### Certifications

CULus

RoHS

ENERGY STAR certified

IEC 62040-1

## Battery

### Runtime graph

\$row.attributeValue.cdata

### Battery management

ABM technology (3-stage charging extends battery service life by 50% and provides advance warning for battery replacement)

### Battery replacement

User replaceable

### Battery type

Sealed, lead-acid

### Extended battery capability

Add up to 4 extended battery modules (EBM). Part number 5PXEBM72RTG2

## Electrical output

### Receptacle

(2) C19, (8) C13

### Topology

Line-interactive

### Wattage

3000 W

### VA rating

3000 VA

## Electrical input

### Input connection

L6-20P

### Input cord length

6 ft detachable

### Input nominal voltage

208V

### Nominal frequency

50/60 Hz

### Input power factor

1

## Communications

### Expansion slots

One slot

### Software compatibility

Brightlayer Data Centers suite

### User interface

LCD graphical display

## Environmental

### BTU Rating

Online: 208, Battery: 1136

## Additional specifications

### Special features

UPS ship-in-rack option for integration into packaged deployments simplifying set up and getting you online quicker (available with the RK4PRS 4-post rail kit)

### Form factor

Rack/tower

### Rack size

2U

## Efficiency

98%

## Package contents

5PX3000HRTG2 UPS  
Tower pedestal feet  
Four-post rail kit  
Quick start guide  
Safety guide  
USB cable  
RS-232 cable  
(2) IEC C13 to IEC C14  
jumper cables (208V/230V  
"H" models)

## Warranty and support

### Standard factory warranty

3-year factory warranty with  
registration  
-3 years  
-Parts, electronics and  
batteries coverage  
-Standard ground shipping  
-Technical support

### Extended service plans

ADVANCED DEPOT  
EXCHANGE  
-5-YEAR DEPOT REPAIR:  
5SW5Y-3000UC  
-Expedited parts coverage  
for 5 years  
-Parts, electronics and UPS  
batteries coverage  
-Next business day shipping  
-Technical support  
ON-SITE 24X7, NEXT DAY  
RESPONSE  
2 YEAR UPGRADE:  
WUN72XXX-6009UC  
-On-site expedited parts and  
labor coverage for first 2  
years  
-Parts, electronics and UPS  
batteries coverage  
-Eaton on-site labor  
coverage  
-24x7 coverage, next day  
response  
-Next day shipping  
-Technical support  
3 YEAR FLEX PLAN:  
FLN73XXX-6009UC  
-On-site parts and labor  
coverage for years 3 to 5  
-Parts, electronics and UPS  
batteries coverage  
-24x7 on-site labor  
coverage, next day  
response  
-Next day shipping

## Resources

### Brochures

[Eaton 5PX G2 UPS brochure](#)

### Manuals and user guides

[Eaton 5PX G2 quick start guide \(global models\)](#)

[Eaton 5PX H G2 Global UPS and EBM User Guide](#)

### Specifications and datasheets

[Eaton Specification Sheet - 5PX3000HRTG2](#)

### Technical data sheets

[Eaton 5PX G2 UPS technical specifications](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)