

Eaton LS-S02-ZB

Catalog Number: LS-S02-ZB

Eaton Safety Interlock Switch, LS-Titan, Cabinet door interlock, Screw Terminals, 6A at 230 Vac, 3A at 24 Vdc, Miniature DIN, 2NC with positive opening contacts



General specifications

Product Name	Catalog Number
Eaton LS-Titan miniature DIN limit switch LS-S02-ZB	
UPC	Product Length/Depth
786685393865	3.78 in
Product Height	Product Width
1.18 in	1.18 in
Product Weight	Warranty
0.2 lb	1 year
Compliances	Certifications
RoHS Compliant	UL Listed

defaultTaxonomyAttributeLabel

Type

LS-Titan

Contact Rating

6A at 230 Vac, 3A at 24 Vdc

Enclosure material

Plastic

Connection

Screw terminal

Contact configuration

2 NC with positive opening contacts

Series

LS-Titan

Switch type

Cabinet door interlock

Operating temperature - max

158 °F

Operating temperature - min

-13 °F

Environmental rating

IP65

Maximum AC current

6 A at 230 Vac

Maximum DC current

3 A at 24 Vdc

Mounting method

Miniature DIN rail

Resources

Brochures

LS-Titan Safety Limit Switches

Catalogs

Eaton's Volume 8—Sensing Solutions

Specifications and datasheets

Eaton Specification Sheet - LS-S02-ZB



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)