Eaton PSS160D

Catalog Number: PSS160D

Power Supply Switcher, IP20 enclosure, 20-14 AWG wire size, 2.3A rated operational current, 160W, Three-phase, 480-600V input voltage, 24 Vdc output voltage, 47-63 Hz, TS35 rail or chassis mount

Photo is representative

General specifications Product Name

Product Name	Catalog Number
Eaton PSG general purpose power	PSS160D
supply	UPC 782116974023
Product Length/Depth	Product Height
4.49 in	4.49 in
Product Width	Product Weight
1.97 in	0.29 lb
Warranty	Compliances
Eaton Selling Policy 25-000, one (1) year CE Marked	
from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	Certifications e
	UL 508
	F47 Certified
	CSA Certified



defaultTaxonomyAttributeLabel

Special features

Convection cooling, finger-safe cover, short-circuit protection, auto restart

Operating temperature - max

50 °C

Operating temperature - min

-5 °C

Power consumption

160 W

Phase

Three-phase

Frequency rating

47-63 Hz

Mounting Method

TS35 rail or chassis

Output voltage

24 V

Enclosure

IP20

Input voltage

480-600 V

Series

PSS

Rated operational current

2.3 A

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Multimedia

How to size and select a Power Supply

Specifications and datasheets

Eaton Specification Sheet - PSS160D



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia